



## Meridium Enterprise APM Installation

# V4.1.5.0



**Meridium Enterprise APM Installation**

**V4.1.5.0**

**Copyright © Meridium, Inc. 2016**

**All rights reserved. Printed in the U.S.A.**

**This software/documentation contains proprietary information of Meridium, Inc.; it is provided under a license agreement containing restrictions on use and disclosure. All rights including reproduction by photographic or electronic process and translation into other languages of this material are fully reserved under copyright laws. Reproduction or use of this material in whole or in part in any manner without written permission from Meridium, Inc. is strictly prohibited.**

**Meridium is a registered trademark of Meridium, Inc.**

**All trade names referenced are the service mark, trademark or registered trademark of the respective manufacturer.**


## About This Document

---

This file is provided so that you can easily print this section of the Meridium Enterprise APM Help system.

**You should, however, use the Help system instead of a printed document.** This is because the Help system provides hyperlinks that will assist you in easily locating the related instructions that you need. Such links are not available in the PDF.

The Meridium Enterprise APM Help system can be accessed within Meridium Enterprise APM itself or via the Meridium APM Documentation Website (<https://www.meridium.com/documentation/WebHelp/WebHelpMaster.htm>).

 **Note:** If you do not have access to the Meridium APM Documentation Website, contact [Meridium Global Support Services](#).

# Table of Contents

---

<b>Meridium Enterprise APM Installation</b> .....	<b>1</b>
<b>Copyright and Legal</b> .....	<b>2</b>
<b>About This Document</b> .....	<b>3</b>
<b>Table of Contents</b> .....	<b>4</b>
<b>Deploying Meridium Enterprise APM</b> .....	<b>7</b>
The Basic Meridium Enterprise APM System Architecture .....	8
How the Operating System is Configured in the Meridium Enterprise APM Testing Environment .....	10
Meridium Enterprise APM Server Roles and Features .....	11
Set the Local DTC Property Settings .....	14
About the Operating System in the Meridium Enterprise APM Test Environment .....	18
Meridium Enterprise APM First Time Installation Steps .....	19
Deploy Meridium Enterprise APM for the First Time .....	20
Meridium Enterprise APM Server First Time Installation Steps .....	22
Install the Meridium Enterprise APM Server Software and Add-ons .....	23
Install, Repair, or Uninstall Meridium Enterprise APM Server Components After the Initial Installation .....	32
Meridium Enterprise APM Database Server First Time Installation Steps .....	38
Deploy the Meridium Enterprise APM Database Server for the First Time .....	39
About the Meridium Enterprise APM Database .....	41
Installation and Configuration Steps for an Oracle Database Server .....	42
Install Oracle Server Software .....	43
Create and Configure the Oracle Database .....	44
Create the Meridium APM Oracle Schema on the Meridium Enterprise APM Database Server .....	46
Installation and Configuration Steps for a SQL Server Database Server .....	48
Install the SQL Server Software .....	49
About Creating and Configuring the SQL Server Database .....	50
Create the SQL Server Database .....	51
Configure the SQL Server Database .....	52

Set the Local DTC Property Settings - Meridium Enterprise APM Database Server	54
Create an Initial Data Source .....	59
Meridium Enterprise APM SQL Server Report Server First Time Installation Steps .....	61
Deploy the SQL Server Report Server for the First Time .....	62
Configure the SQL Server to Use an Execution Account .....	63
Create a Domain User and Add that User to Content Manager Role on the Home Folder of the SQL Server Report Server .....	65
Install and Configure Meridium SSRS .....	69
Meridium Enterprise APM Upgrade Steps .....	74
Upgrade Meridium Enterprise APM to V4.1.5.0 .....	75
Upgrade the Meridium Enterprise APM Server and Add-Ons to V4.1.5.0 .....	78
Upgrade the Meridium SSRS to V4.1.5.0 .....	80
Upgrade the Meridium Enterprise APM Database Server to V4.1.5.0 .....	85
Upgrade the Meridium Enterprise APM Database to V4.1.5.0 .....	86
Terms Used in this Documentation .....	89
About Customized Database Content Protection .....	91
Initiate the Database Upgrade Process .....	103
About the Upgrade Details Grid .....	112
About the Events Log .....	114
About Reviewing the Log for Duplicate Records .....	116
Review the Events Log for Duplicate Records .....	117
Database Upgrade Failure Resolution .....	120
Configure the Meridium Enterprise APM Server for Oracle Components .....	121
Remove Database Notification Elements from the Database .....	122
Replace the Database Patches File .....	123
Deploy Translations .....	124
Deploying the Meridium Enterprise APM Mobile Application .....	125
Install the Meridium Enterprise APM Mobile Application on Mobile Devices .....	126
About Installing the Meridium Enterprise APM Mobile Application on iOS Devices .....	127
System Administration .....	128

Redis .....	129
About Configuring Redis Server .....	130
Standard Deployment Architecture .....	132
Setup Meridium Server - Medium Cache Configuration .....	133
Install Redis - High Availability Configuration .....	135
Setup Meridium Server - High Availability Configuration .....	136
About Redis .....	139
Manage the Meridium Enterprise APM Database Comparison Tool .....	140
About the Meridium Enterprise APM Database Comparison Tool .....	141
Run the Comparison Against a Pre-Upgraded Database .....	144
About the Pre-Upgrade Meridium Enterprise APM Database Comparison Tool Comparison Results Grid .....	149
Run the Comparison Against an Upgraded Database .....	154
About the Post-Upgrade Meridium Enterprise APM Database Comparison Tool Comparison Results Grid .....	158
Revert Items to Baseline Using the Post-Upgrade Meridium Enterprise APM Data- base Comparison Tool .....	161
Save the Results to a .ZIP File .....	167
Reload Previous Comparison Results .....	169
Export Comparison Results to an Excel File .....	172
View Detailed Differences in WinMerge .....	174
Manage the Meridium Enterprise APM System Administration Tool .....	177
About the Meridium Enterprise APM System Administration Tool .....	178
Access the Meridium Enterprise APM System Administration Tool .....	180
Notifications .....	182
Configure Notifications .....	183
About Notifications .....	184
<b>Contact Meridium, Inc. ....</b>	<b>185</b>

## Deploying Meridium Enterprise APM


---

The checklists in this section of the documentation contain all the steps necessary for deploying and configuring Meridium Enterprise APM whether you are deploying the product for the first time or upgrading from a previous version.

### Deploying Modules and Features

## The Basic Meridium Enterprise APM System Architecture

In its most basic implementation, the Meridium Enterprise APM system consists of the machines shown in the following image.



The following are critical elements of the Meridium Enterprise APM system.

### The Meridium Enterprise APM Server

A computer on which the Meridium Enterprise APM Server software is installed. The Meridium Enterprise APM Server machine contains Internet Information Services (IIS), which serves as the host for communication between the various systems. The Meridium Enterprise APM Server:

- Contains and executes the Meridium Enterprise APM business objects implemented using the .NET transaction management framework.
- Receives requests from a client, processes those requests, connects to the database to retrieve information, and returns that information to the client.
- Executes and enforces the business logic and business rules.



- Processes data.
- Performs calculations.

Your Meridium Enterprise APM system could include multiple Meridium Enterprise APM Server instances.

- Meridium Enterprise APM Server machines that will receive and process requests from users are referred to as *dedicated* Meridium Enterprise APM Servers. You can have one or more dedicated APM Servers in your implementation. The number of dedicated APM Servers you need will depend upon the number of users you have.
- Meridium Enterprise APM Server instances that exist to support other Meridium components are referred to as *supporting* Meridium Enterprise APM Servers. We recommend you install a supporting instance of the Meridium Enterprise APM Server on every Meridium Enterprise APM Server machine.

Consult the [documentation on Redis](#) for information about its incorporation into server configurations.

## Meridium Enterprise APM Database Server

The computer on which the database software (Oracle or SQL Server) and the physical Meridium Enterprise APM databases or schemas reside. Your Database Server may contain multiple Meridium Enterprise APM databases or schemas (e.g., a test database and a production database). The Meridium Enterprise APM Database Server answers requests for data from Meridium Enterprise APM Servers. The Meridium Enterprise APM database or schema contains the metadata (information about Entity families, fields, System Codes, etc.) and the tables containing actual data. The Meridium Enterprise APM system allows for a single, central database. This approach enables cross-site and cumulative analyses.

## SQL Server Report Server

The computer on which the SQL Server Reporting Services is installed. The SQL Server Report Server stores SQL Server reports. Reports can be developed via Meridium Enterprise APM, and when they are saved to the Meridium APM Catalog, they will be simultaneously uploaded to the SQL Server Report Server. After they exist on the SQL Server Report Server, they can be easily viewed by other Meridium Enterprise APM users.

In addition to the custom reports that can be created using SQL Server Reporting Services, the Meridium Enterprise APM database contains baseline SQL Server Reporting Services reports.

Note that while the SQL Server Report Server is part of the basic Meridium Enterprise APM architecture, it is not considered a *Meridium APM* Server. Therefore, you are not required to install a supporting instance of the Meridium Enterprise APM Server on the SQL Server Report Server machine. You will, however, need to install the Meridium APM Adapter for SSRS on this machine.

## **How the Operating System is Configured in the Meridium Enterprise APM Testing Environment**


---

This topic provides a list of all topics describing how the operating system is configured in the Meridium Enterprise APM testing environment.

## Meridium Enterprise APM Server Roles and Features

---

The following server roles and features are installed on all instances of the Meridium Enterprise APM Server in the Meridium Enterprise APM test environment.

 **Note:** Roles and features can be added via the Add Roles and Features Wizard on a Windows Server machine. To add roles and features, in Server Manager, on the **Manage** menu, select **Add Roles and Features** to open the wizard. Select role-based or feature based installation, select the Meridium Enterprise APM Server from the server pool, and then continue through the wizard.

In the **Server Roles** section:

- Application Server
- Web Server (IIS), and all features

In the **Features** section:

- .NET Framework 4.5 Features
  - .NET Framework 4.5
  - WCF Services
    - TCP Port Sharing
- Message Queuing
  - Message Queuing Services
- SMTP Server, and all features
- Windows Process Activation Service
  - Process Model
  - Configuration APIs

In the **Role Services** section for the **Application Server**:

- .NET Framework 4.5
- COM+ Network Access
- Distributed Transactions (clear the **WS-Atomic** check box)
  - Incoming Network Transactions
  - Outgoing Network Transactions
- TCP Port Sharing
- Web Server (IIS) Support, and all features
- Windows Process Activation Service Support
  - HTTP Activation, and all features
  - Message Queuing Activation, and all features
  - Named Pipes Activation, and all features
  - TCP Activation, and all features

In the **Role Services** section for the **Web Server Role (IIS)**:

- Web Server
  - Common HTTP Features (clear the **WebDAV Publishing** check box)
    - Default Document
    - Directory Browsing
    - HTTP Errors
    - Static Content
    - HTTP Redirection
  - Health and Diagnostics (clear the **Custom Logging** check box)
    - HTTP Logging
    - Logging Tools
    - ODBC Logging
    - Request Monitor
    - Tracing
  - Performance
    - Static Content Compression
    - Dynamic Content Compression
  - Security (clear the **Centralized SSL Certificate Support** check box)
    - Request Filtering
    - Basic Authentication
    - Client Certificate Mapping Authentication
    - Digest Authentication
    - IIS Client Certificate Mapping Authentication
    - IP and Domain Restrictions
    - URL Authorization
    - Windows Authentication
  - Application Development (clear the **.NET Extensibility 3.5, ASP .NET 3.5, CGI, Server Side Includes**, and **WebSocket Protocol** check boxes)
    - .NET Extensibility 4.5
    - Application Initialization
    - ASP
    - ASP.NET 4.5
    - ISAPI Extensions
    - ISAPI Filters

- Management Tools
  - IIS Management Console
  - IIS 6 Management Compatibility
    - IIS 6 Metabase Compatibility
    - IIS 6 Management Console
    - IIS 6 Scripting Tools, and all features
    - IIS 6 WMI Compatibility
  - IIS Management Scripts and Tools
  - Management Service


## Set the Local DTC Property Settings

**Note:** The following settings apply to all Meridium Enterprise APM Server instances (both dedicated and supporting), regardless of whether they point to an Oracle or SQL Server Database Server machine.


### Steps

1. On the machine that will contain the Meridium Enterprise APM Server instance, in the Server Manager, on the **Tools** menu, select **Component Services**.


The **Component Services** window appears.



2. On the left side of the window, expand the **Component Services** node, then expand the **Computers** node, and then expand the **My Computer** node.




3. Expand the **Distributed Transaction Coordinator** node, and then select the **Local DTC** node.



4. In the window's toolbar, select  (the Properties button).

**Tip:** Alternatively, you can right-click the **Local DTC** node, and then select **Properties**.

The **Local DTC Properties** window appears, displaying the **Tracing** section.



5. Select the **Security** tab.


The **Security** section appears.

6. In the **Security Settings** subsection:

- a. Select the **Network DTC Access** check box, and *clear* the following check boxes:
  - o **Allow Remote Clients**
  - o **Allow Remote Administration**
- b. In the **Transaction Manager Communication** section, select the following options:
  - o **Allow Inbound**
  - o **Allow Outbound**
  - o **Incoming Caller Authentication Required**

The Security Setting subsection should now display the selected settings seen in the following image.





7. Select **Apply**.

A message appears, asking if you want to proceed.

8. Select **Yes**.

A message appears, indicating that the MSDTC service was restarted.

9. Select **OK**, and then, on the **Local DTC Properties** window, select **OK**.

The **Local DTC Properties** window closes, and your settings are saved.

## About the Operating System in the Meridium Enterprise APM Test Environment

---

The Meridium Enterprise APM test environment uses the 64-bit version of Windows Server 2012 R2 for all instances of the Meridium Enterprise APM Server (both dedicated and supporting). The operating system is not distributed by Meridium, Inc. and must be obtained from another vendor. Providing instructions on installing the operating system exceeds the scope of this documentation, but this documentation does provide guidelines on how the operating system in the Meridium Enterprise APM test environment is configured. We recommend that you configure your system to match the configuration used in the Meridium Enterprise APM test environment.

To configure your system to match the Meridium Enterprise APM test environment, on the machine that will server as the Meridium Enterprise APM Server machine, [configure Meridium Enterprise APM Server roles and features](#) and [set the local DTC property settings](#). Note that, if installed, WebDAV must be disabled prior to installing the Meridium APM Server and Add Ons software.

## **Meridium Enterprise APM First Time Installation Steps**

---

This topic provides a list of all procedures related to first-time installation steps for Meridium Enterprise APM.

## Deploy Meridium Enterprise APM for the First Time

The following table outlines the steps that you must complete to deploy and configure Meridium Enterprise APM for the first time. After you have completed these steps, you will need to perform additional steps to configure the modules that you have purchased.

These tasks may be completed by multiple people in your organization. We recommend, however, that the tasks be completed in the order in which they are listed. All steps are required unless otherwise noted.

Step	Task	Notes
1	Ensure that your system meets the hardware and software requirements for the basic Meridium Enterprise APM system architecture.	
2	<p><a href="#">Review how the operating systems are configured in the Meridium Enterprise APM testing environment</a>. To configure your system to match the Meridium Enterprise APM testing environment, on the machine that will serve as the Meridium Enterprise APM Server, you need to:</p> <ul style="list-style-type: none"> <li>• <a href="#">Configure Meridium Enterprise APM Server roles and features</a></li> <li>-and-</li> <li>• <a href="#">Set the local DTC property settings</a>.</li> </ul>	It is recommended that you configure your system to match the configuration used in the Meridium Enterprise APM testing environment.
3	<a href="#">Install the Meridium APM Server and Add-ons software</a> on each machine that will serve as a Meridium Enterprise APM Server.	Consult the <a href="#">documentation on Redis</a> for information about its incorporation into server configurations.
4	<a href="#">Deploy the Meridium Enterprise APM Database Server</a> , which includes creating and configuring your Meridium Enterprise APM database.	
5	<a href="#">Deploy the Meridium Enterprise APM SQL Server Report Server</a> .	
6	Create Security User records for the individuals who will need to log in to Meridium Enterprise APM applications.	
7	Activate licensed modules and products.	
8	If you want to use non-English translations in Meridium Enterprise APM, <a href="#">deploy translations</a> .	

Step	Task	Notes
9	As needed, <a href="#">deploy the Meridium Enterprise APM mobile application on mobile devices.</a>	

## Meridium Enterprise APM Server First Time Installation Steps

---

This topic provides a list of all procedures related to first time installation steps for a Meridium Enterprise APM Server, as well as links to the related concept and reference topics.


# Install the Meridium Enterprise APM Server Software and Add-ons

The following instructions provide details on installing the Meridium APM Server and Add-ons software on the Meridium Enterprise APM Server machine. The Meridium Enterprise APM Server machine is part of the [basic Meridium Enterprise APM system architecture](#).


## Before You Begin


These instructions assume that:


- Your system meets the hardware and software requirements for the Meridium Enterprise APM Server machine.

 **Note:** If your system does not meet certain software requirements, a message may be displayed during the installation process that indicates the software requirement that is missing. Some software requirements, however, will be installed automatically if they are missing.

- You are an Administrator with full access to the machine that will serve as the Meridium Enterprise APM Server machine.

 **Note:** IIS will be reset automatically by the installer before the installation process begins.

 **Note:** If you want to run the Meridium APM Server and Add-ons installer in silent mode from the command line, you must first ensure that Microsoft .NET Framework 4.5.2 is installed on the Meridium APM Server machine. If it is not installed, an error will occur during installation. You can download this program from the official Microsoft website. If the Meridium APM Server and Add-ons installer is run according to the procedure in this topic and Microsoft .NET Framework 4.5.2 has not yet been installed on the Meridium APM Server machine, it will be installed automatically during the installation process.

 **IMPORTANT:** Before installing the Meridium APM Server and Add-ons software, via your IIS Manager, the WebDAV Publishing service needs to be deactivated. To verify this, in the Server Manager, in the **Local Server** workspace, in the **Roles and Features** section, ensure that **WebDAV Publishing** is not present in the list.

## Steps


1. On the Meridium Enterprise APM Server machine, access the Meridium Enterprise APM distribution package, and then navigate to the folder **\\General Release\Meridium APM Framework and Server Setup\Setup\Meridium APM Server and Add-ons**.


2. Open the file **Setup.exe**.

A message appears, asking if you want to allow the installer to make changes to your machine.

3. Select **Yes**.

The Meridium APM Server and Add-ons installer appears.


 **Note:** If a list of required programs appears in the installer, select **Install**. The installer will install the programs, and then the server will restart.



4. On the welcome screen, select **Next**.


The **License Agreement** screen appears.





5. Read the License Agreement, and then, if you agree to the terms, select the **I accept the terms of the license agreement** check box. Then, select **Next**.

The **Select Installation Location** screen appears.




6. By default, the Meridium APM Server and Add-ons software will be saved to the following folder: C:\Program Files\Meridium. If you are satisfied with the default location where the software will be installed, select **Next**.

-or-

If you want to change the location where the software will be installed, select **Change**, and then navigate to the location where you want to install the Meridium APM Server and Add-ons software. The folder path that you select will be displayed in place of the default folder path. When you are satisfied with the installation location, select **Next**.

The **Select the features you want to install** screen appears.




**IMPORTANT:** The **Select the features you want to install** screen lets you specify which features you want to install on the Meridium Enterprise APM Server machine. These instructions assume that you want to deploy only the Meridium Enterprise APM Server software and help files.

**Note:** Deploying the help files will create a locally stored copy of the files on your Meridium Enterprise APM Server. By default, Meridium Enterprise APM is configured to point to these locally stored files when help is accessed, but the setting is configurable.


7. In the tree, select the **Meridium APM Application Server** and **Help** check boxes, and then select **Next**.

The **Select ZIP File Location** screen appears.




8. On the **Select ZIP File Location** screen, change the default destination folder if necessary, and then select **Next**.

The **Websites** screen appears.




9. If necessary, change the website for Meridium's virtual directory, and then select **Next**. The **Complete the Installation** screen appears.



10. Select **Install**.

The **Setup Status** screen appears, displaying a progress bar. When the installation is complete, the **Installation Complete** screen appears.




11. Clear the **Launch APM System Administration now** check box, and then select **Finish**.  
The Meridium APM Server and Add-ons installer closes.

## What's Next?

- The next step in the [first time deployment workflow](#) is [deploying the Meridium Enterprise APM Database Server](#).
- The next step in the [upgrade workflow](#) is [upgrading the SQL Server Report Server](#).

## Install, Repair, or Uninstall Meridium Enterprise APM Server Components After the Initial Installation


If you need to install a Meridium Enterprise APM component on a machine *after* the initial installation is complete, you can run the Meridium APM Server and Add-ons installer in *modify mode*, which will allow you to make changes to the current installation on that machine. Keep in mind, however, that the same prerequisites are required when you run the installer in modify mode. You can also run the installer in *repair mode* to update installed components, or in *remove mode* to uninstall Meridium Enterprise APM components.

 **Note:** IIS will be reset automatically by the installer before the installation process begins.

### Steps

1. On the Meridium Enterprise APM Server machine, via the Control Panel, access the **Programs and Features** window.
2. In the grid, select the **Meridium APM Server and Add-on** item, and then select **Change**.

The Meridium APM Server and Add-ons installer appears, displaying the **Preparing Setup** screen, which contains a progress bar. After the progress bar reaches the end, the **Welcome** screen appears.






The **Welcome** screen contains the following options:

- **Modify:**Runs the installer in modify mode, which allows you to install additional components on the machine or uninstall specific components. This option is selected by default.
- **Repair:**Runs the installer in repair mode, which allows you to update the components that are installed on the machine.
- **Remove:** Runs the installer in remove mode, which uninstalls *all* the Meridium Enterprise APM components that are installed on the machine.

3. Select the necessary option, and then select **Next**.

If you selected the **Modify** option, the **Select the features you want to install** screen appears.




The components that are currently installed on the machine are selected in the tree. If you want to *remove* one or more of these components, you can clear the check box beside that component.

- a. Select the check boxes beside the additional components that you want to install, and then select **Next**.

A message appears, indicating that the installer is checking your machine for the required prerequisites for the features that you want to install.

If one or more prerequisites are missing on the machine, the **Meridium Installer** screen will appear, displaying a message that indicates which prerequisites still need to be installed on the machine before you can install the feature that is dependent on those prerequisites. This message also indicates what you can do to continue. If you see this screen, you should read the message in detail, and either select **Back** to clear the selection whose prerequisites are missing, and then continue through the installation without installing that component, or close the installer, install the missing prerequisite, and then run the installer again later.


If all the prerequisites for the selected components are installed on the machine, the **Websites** screen appears.



The **Websites** screen lets you specify where the installer will create a virtual directory for Meridium Enterprise APM. This website is configured in the IIS Manager on the Meridium Enterprise APM Server machine. The websites list contains all the websites that are configured on the Meridium Enterprise APM Server machine. The default website is *Default Web Site*. Throughout this documentation, we assume that you have chosen to install Meridium Enterprise APM under the *Default Web Site*.

- b. In the list of websites, select the website where you want the installer to create a virtual directory, and then select **Next**.

The **Setup Status** screen appears, displaying a progress bar. After your server is configured, the **Installation is Complete** screen appears.




- c. Select **Finish**.

The Meridium APM Server and Add-ons installer closes. Additionally, if the **Launch APM System Administration now** check box was selected, the **APM System Administration** window appears.

-or-

If you selected the **Repair** option, the **Setup Status** screen appears, displaying a progress bar. After your server is configured, the **Installation is Complete** screen appears.




- a. Select **Finish**.

The Meridium APM Server and Add-ons installer closes. Additionally, if the **Launch APM System Administration now** check box was selected, the **APM System Administration** window appears.


-or-

If you selected the **Remove** option, a message appears, asking if you want to remove the selected application and all of its features.



- a. Select **Yes**.

The **Setup Status** screen appears, displaying a progress bar. After the application and all of its features are removed, the **Uninstall Complete** screen appears.



- b. Select **Finish**.

The Meridium APM Server and Add-ons installer closes.

## Meridium Enterprise APM Database Server First Time Installation Steps

---

This topic provides a list of all procedures related to first time installation steps for a Meridium Enterprise APM Database Server, as well as links to the related concept and reference topics.

## Deploy the Meridium Enterprise APM Database Server for the First Time

The installation and configuration steps differ depending on whether you are connecting to an Oracle or SQL Server Database. Use the checklist appropriate to the type of database you are using.

### Oracle

The following checklist should be used to install and configure an Oracle Database Server, create the Meridium Enterprise APM schema, and configure the Meridium Enterprise APM Server for use with Oracle.

You should complete these steps in relatively the same order in which they are listed in the table.

Step	Task	Required/Optional
1	Ensure that the Meridium Enterprise APM Database Server machine meets the system requirements.	Required
2	<a href="#">Install Oracle Server software</a> on the Meridium Enterprise APM Database Server.	Required
3	<a href="#">Create and configure the Oracle database</a> on your Meridium Enterprise APM Database Server.	Required
4	<a href="#">Create the Meridium Enterprise APM Oracle schema</a> on the Meridium Enterprise APM Database Server.	Required
5	On the Meridium Enterprise APM Server, <a href="#">ensure that the operating system is configured to allow network DTC access</a> .	Required
6	On the Meridium Enterprise APM Server, <a href="#">create an initial data source</a> .	Required
7	In Meridium Enterprise APM, build the search index.	Optional

### SQL Server

The following checklist should be used to install and configure a SQL Server Database Server, create the Meridium Enterprise APM database, and configure the Meridium Enterprise APM Server for use with the SQL Server.

You should complete these steps in relatively the same order in which they are listed in the table.

Step	Task	Required/Optional
1	Ensure that the Meridium Enterprise APM Database Server machine meets the system requirements.	Required
2	<a href="#">Install the SQL Server software</a> on the Meridium Enterprise APM Database Server.	Required
3	<a href="#">Create the SQL Server Database</a> on the Meridium Enterprise APM Database Server.	Required
4	<a href="#">Configure the SQL Server Database</a> on the Meridium Enterprise APM Database Server.	Required
5	On the Meridium Enterprise APM Server, <a href="#">ensure that the operating system is configured to allow network DTC access</a> .	Required
6	On the Meridium Enterprise APM Database Server, <a href="#">ensure that the operating system is configured to allow network DTC access</a> .	Required
7	On the Meridium Enterprise APM Server, <a href="#">create an initial data source</a> .	Required
8	In Meridium Enterprise APM, build the search index.	Optional



## About the Meridium Enterprise APM Database

---

The Meridium Enterprise APM database contains all the data that can be accessed through the Meridium Enterprise APM system, including tables that store records, metadata that defines information about items such as families and system codes, and objects that can be accessed through the Meridium Enterprise APM Catalog. In order to use Meridium Enterprise APM, you will need to create a Meridium Enterprise APM database.

Meridium Enterprise APM supports two types of database servers:

- [Oracle](#)
- [SQL Server](#)

The first step in creating the Meridium Enterprise APM database is to set up a Meridium Enterprise APM Database Server. You can use the preceding links to access generic information and guidelines for setting up each type of server. After the database server has been set up and properly configured, you will need to create the Meridium Enterprise APM database.

The content in the Meridium Enterprise APM database is segmented according to the license with which it is associated. Licensed content is versioned for each Meridium Enterprise APM release. Licenses must be activated before the associated module(s) can be used.


## Installation and Configuration Steps for an Oracle Database Server

---

This topic provides a list of all procedures related to first time installation steps for an Oracle Database Server, as well as links to the related concept and reference topics.

## Install Oracle Server Software

---

 **Note:** You will need to complete this step only if you plan to use an Oracle Database Server to host the Meridium Enterprise APM schema.

The first step in setting up the database server for the Meridium Enterprise APM schema is to install the Oracle Server software on the database server machine. Instructions for installing the Oracle Server software exceed the scope of this documentation. For information on performing the installation, refer to the Oracle installation documentation that is specific to your database server platform. If you plan to create a database via the Oracle Universal installer, then before proceeding, you should review the section in this documentation on [creating and configuring the Oracle database](#).

## Create and Configure the Oracle Database

### Create the Oracle Database

After you have installed the Database Server software on the Meridium Enterprise APM Database Server machine, you will need to create an Oracle schema that will contain the Meridium Enterprise APM repository. The creation of the Oracle database exceeds the scope of this documentation. For details on creating an Oracle database, consult the Oracle documentation that is specific to your database platform.

### Configure the Oracle Database

After you have created the Oracle database, you will need to configure it. Details on configuring the Oracle database exceed the scope of this documentation. For details on configuring an Oracle database, consult the Oracle documentation that is specific to your database platform. Note, however, that the Oracle database must meet the following requirements:

The following database parameter values are recommended and must persist from one database startup to the next.

Database parameter value	Notes
<b>dml_locks=5000</b>	The <i>dml_locks</i> parameters should be set to a large value to avoid the possibility of waiting for a lock.
<b>open_cursors=500</b>	It is not uncommon for one Meridium Enterprise APM user to have multiple cursors open simultaneously. For this reason, you should set this value accordingly.
<b>parallel_max_servers=0</b>	The Meridium Enterprise APM schema is not configured for parallel query. Therefore, we recommend that you disable this feature. Enabling parallel query when the database and schema are not properly configured can severely degrade system performance.

Database parameter value	Notes
<b>parallel_min_servers=0</b>	The Meridium Enterprise APM schema is not configured for parallel query. Therefore, we recommend that you disable this feature. Enabling parallel query when the database and schema are not properly configured can severely degrade system performance.
<b>processes=500</b>	None
<b>query_rewrite_enabled=true</b>	None
<b>timed_statistics=true</b>	Setting <i>timed_statistics</i> allows for minimum maintenance and enables reporting on internal wait events, which can be used to reconfigure your database.
<b>Memory_target= 4G</b>	Suggested minimum

Default values for database parameters that are not mentioned in the above list meet or exceed recommendations for a Meridium Enterprise APM database configuration. Meridium, Inc. recommends that you monitor the database so that changes can be made as necessary to accommodate the needs of your specific installations. For more information on these and other database parameters, consult the Oracle documentation.

## Create the Meridium APM Oracle Schema on the Meridium Enterprise APM Database Server

---

The following instructions provide details on creating the Meridium Enterprise APM Oracle schema. After you have created the Oracle schema using these instructions, the schema will be referred to as the *Meridium Enterprise APM database* throughout the documentation.

To perform these steps, you will need Oracle DBA privileges on the Meridium Enterprise Database Server machine. These instructions assume that:

- You are logged in your Meridium Enterprise Database Server machine with DBA privileges and have a connection to Oracle.
- You are familiar with running SQL scripts and the associated terminology.

### Steps


1. On the Meridium Enterprise APM Server machine, in the Meridium Enterprise APM distribution package, navigate to the folder **\\General Release\Meridium APM Setup\Database**.
2. Open the file **MI\_DB\_Master\_4010500.ZIP**, and then extract the contents of the file **4010500.zip** to a folder on the C: drive.
3. Open the file **4010500.zip**, and then open the subfolder **Setup\NewInstall\Oracle**.

This folder contains the extracted files that will need to be run by the database administrator (via the remaining steps). The database administrator will need the following three files, as well as access to the remaining instructions in this topic:

- **CRT\_MI\_CONNECT\_ROLE.sql**
  - **CRT\_MI\_USER.sql**
  - **MI\_V4010500.DMP.ZIP**
- a. Locate and run the script **CRT\_MI\_CONNECT\_ROLE.sql**. This script creates the Meridium Enterprise APM role (MI\_CONNECT\_ROLE), which contains several of the Oracle privileges that are necessary to run the Meridium Enterprise APM applications. This script does not require any parameters. You will need to run this script one time per database.
  - b. Locate and run the script **CRT\_MI\_USER.sql**. This script creates the Oracle user, and then grants to the user the role MI\_CONNECT\_ROLE that you created in the preceding step.

The schema is created. For example, if you were to define the parameters through the command **SQL> @CRT\_MI\_USER MERIDIUM\_PROD MERIDIUM\_PROD 1000M Meridium\_DATA**, it would automatically:

- Create a user called *MERIDIUM\_PROD*.
- Set the user's password to *MERIDIUM\_PROD*.
- Set the user's default tablespace to *MERIDIUM\_DATA*.
- Grant 1GB of quota on the default tablespace.

 **Note:** This example assumes that the *MERIDIUM\_DATA* tablespace already exists.

4. Import the Oracle schema you created in the preceding steps. To do so:
  - a. On the Meridium Enterprise APM Database Server machine, locate the **MI\_V4010500.DMP.ZIP** file. Extract and import the contents.
  - b. Update the schema statistics.

The schema is imported. You should note and resolve any errors that appear in the import log. We recommend that you save a copy of the Oracle import log for future reference.

## Installation and Configuration Steps for a SQL Server Database Server

---

This topic provides a list of all procedures related to first time installation steps for an SQL Server Database Server, as well as links to the related concept and reference topics.



## Install the SQL Server Software

---

If you will connect to a SQL Server database, the first step is to install the SQL Server software on the Database Server machine. This documentation assumes that your system meets Database Server system requirements. The installation of the SQL Server software exceeds the scope of this documentation. For information on performing the installation, refer to the SQL Server documentation that is specific to your database server platform.

When you prepare to install SQL Server on the Database Server, you should consider the following notes:

- Meridium Enterprise APM requires mixed-mode authentication for SQL Server installations. The documentation and scripts supplied by Meridium, Inc. assume that the SQL Server instance allows mixed-mode authentication.
- The Meridium Enterprise APM database *must* be owned by the SQL Server login referenced in the Meridium Enterprise APM datasource. Being a member of the SQL Server **db\_owner** role is not sufficient. Meridium, Inc. provides a script to properly configure the SQL Server database for use with Meridium Enterprise APM.
- The database supplied by Meridium, Inc. (via a .BAK file) was created with the SQL Server collation **Latin1\_General\_CI\_AS**.

## About Creating and Configuring the SQL Server Database


---

After you have installed the SQL Server software on the Database Server machine, you can create the Meridium Enterprise APM database by restoring a database backup file that is provided by Meridium, Inc. For example, the restore database option in SQL Server Management Studio could be used to create the database. Specific instructions for creating the Meridium Enterprise APM database are not included in this documentation.

After you have created the database, you will need to configure it. To create and configure the Meridium Enterprise APM database, you must have access to:

- Microsoft SQL Server Management Studio.
- A privileged SQL Server account with *sysadmin* rights in the target instance.
- Two files from the Meridium Enterprise APM distribution package that will be extracted on the Meridium Enterprise APM Server:
  - **MI\_V4010500\_db.BAK**, which is included in the file **MI\_DB\_Master\_4010500.ZIP** in the Meridium Enterprise APM distribution package.
  - and-
  - **MI\_SQL\_DB\_Configure.sql**, which was extracted from the Meridium Enterprise APM distribution package.

These instructions assume that you are familiar with SQL Server Management Studio or another third-party tool for running SQL scripts.

 **Note:** If you do not have sufficient privileges to restore or configure the database, ask the person responsible for creating the database to create the database and complete [the configuration steps](#). That person will need a copy of these instructions, the BAK file, and the MI\_SQL\_DB\_Configure.sql script.

## Create the SQL Server Database

---

The following instructions provide details on locating the files that are needed for creating and configuring the SQL Server database. To create the database, you will restore a backup file that is included in your Meridium Enterprise APM distribution package. For example, the restore database option in SQL Server Management Studio could be used to create the database. Specific instructions on creating the SQL Server database are not included in this documentation.

The backup file that you need to restore is included in the Meridium Enterprise APM distribution package.

### Steps

1. On the Meridium Enterprise APM Server machine, access the Meridium Enterprise APM distribution package, and then navigate to the folder **\\General Release\Meridium APM Setup\Database**.
2. Open the file **MI\_DB\_Master\_4010500.ZIP** and extract its contents to a local folder.

**IMPORTANT:** The name of the folder to which you extract the files must not contain any spaces.

3. In Windows Explorer, in the folder to which you extracted the files, navigate to the **\\Setup\NewInstall\SQLServer** folder, and then locate the file **MI\_V4010500.BAK.ZIP**.
4. Unzip the BAK.ZIP file, and then unzip the file **MI\_V4010500.BAK** and place its contents in a location where it can be referenced by the SQL Server service.
5. On the Database Server machine, restore the file **MI\_V4010500\_db.BAK** to create the SQL Server database.

The Meridium Enterprise APM database is created.

## Configure the SQL Server Database

---

The following instructions explain how to configure a SQL Server database for use by Meridium Enterprise APM. These instructions assume that the SQL Server database has already been created by restoring a backup file using SQL Server Management Studio or another third-party tool.

These instructions provide details on configuring the Meridium Enterprise APM SQL Server database using the script `MI_SQL_DB_Configure.sql`, which is included in your Meridium Enterprise APM distribution package. This script ensures that the database will be properly configured for use with Meridium Enterprise APM.

When you run the script `MI_SQL_DB_Configure.sql`, the following database settings will be configured automatically:

- The database will be set to read/write mode.
- The database will be configured to allow multiple users.
- The database will be set to Full recovery mode.
- A SQL Server login will be created, and this login will own the database.
- The SQL Server database name, SQL Server login name, and password will all match.

### Steps


1. Open a SQL Server Management Studio query window that is connected via a privileged login.
2. Open the file `MI_SQL_DB_Configure.sql`, and then copy its contents into the SQL Server Management Studio query window.
3. Set the `@dbname` variable to the name of the Meridium Enterprise APM SQL Server database that you created.
4. Execute the edited script.
5. As needed, use SQL Server Management Studio to modify the password.

**IMPORTANT:** These are the same login credentials that will be used when you create the Meridium Enterprise APM data source that will connect to this database.

6. Create the custom server-level error messages, which are required by the Meridium Enterprise APM system. These error messages must be created at the instance level. Creating them requires a privileged login assigned to either the System Administrator (`sysadmin`) or Server Administrator (`serveradmin`) fixed server roles. To create the Meridium Enterprise APM error messages:
  - a. Make sure that you are connected to the Database Server with SQL Server Management Studio as a System Administrator or Server Administrator user.

- b. Execute the stored procedure MI\_ERRORS\_CRT\_ALL\_MSGS. This procedure was supplied with the Meridium Enterprise APM database and can be executed by using the command **exec <databasename>..MI\_ERRORS\_CRT\_ALL\_MSGS**, where **<databasename>** is the name of the database you created in the preceding steps.


## Set the Local DTC Property Settings - Meridium Enterprise APM Database Server

 **Note:** The following settings apply to the Database Server machine if it is using SQL Server.


### Steps

1. On the machine that will contain the Meridium Enterprise APM Database Server, in the Server Manager, on the **Tools** menu, select **Component Services**.


The **Component Services** window appears.




2. In the tree to the left, expand the **Component Services** node down to the **My Computer** node.




3. Expand the **Distributed Transaction Coordinator** node.



4. Select the **Local DTC** node, and then, on the menu above the tree, select  (**Properties**).


The **Local DTC Properties** window appears, displaying the **Tracing** section.



5. Select the **Security** tab.

The **Security** section appears.





6. In this section, specify the settings as follows (and as shown in the preceding image):
  - In the **Security Settings** subsection, select the **Network DTC Access** check box.
  - In the **Client and Administration** subsection, clear the **Allow Remote Clients** and **Allow Remote Administration** check boxes.
  - In the **Transaction Manager Communication** subsection, select the **Allow Inbound** and **Allow Outbound** check boxes.
  - In the **Transaction Manager Communication** subsection, select the **Incoming Caller Authentication Required** option.

7. Select **OK**.

A message appears, indicating that the MSDTC service will be stopped and restarted.

8. Select **Yes**.

A message appears, indicating that the MSDTC service has been restarted.

9. Select **OK**.

The **Local DTC Properties** window closes, and your settings are saved. At this point, you can close the **Component Services** window.


## Create an Initial Data Source

**Note:** This procedure cannot be completed until you set up the Meridium Enterprise APM Database Server. If you have not yet done so, [return to the Meridium Enterprise APM deployment workflow](#).

### Steps

1. Access the Meridium Enterprise APM log in page.


**Tip:** You can access the Meridium Enterprise APM log in page via the Apps interface on the Meridium Enterprise APM Server. To access the log in page, select the Windows start button, and then select the arrow icon in the lower-left corner of the screen. Then, under **Meridium APM Applications**, select **APM**.



2. Select **Add Datasource**.

The **Create Datasource** window appears.


### Create Datasource


Data Source ID	Database Server
<input type="text"/>	<input type="text"/>
Data Source Description	Database Name
<input type="text"/>	<input type="text"/>
Data Source Host	Database Alias
<input type="text" value="*"/>	<input type="text"/>
Database Type	Oracle Host
<input type="text" value="Oracle"/> 	<input type="text"/>
Database User Name	Oracle Port
<input type="text"/>	<input type="text"/>
Password	Oracle Service
<input type="text"/>	<input type="text"/>

Preload Cache

3. As needed, enter values in the available fields, and then select **Save**.

The Meridium Enterprise APM log in page appears, displaying the data source.

 **Note:** When initially logging in to Meridium Enterprise APM, both the user name and password are MIADMIN. These values are case-sensitive.

 **Note:** When logging in to Meridium Enterprise APM, a notification may appear, asking if you want to allow your machine to be used for additional local storage. This local storage is used to store log in information and preferences. Allowing this local storage is optional.

## **Meridium Enterprise APM SQL Server Report Server First Time Installation Steps**

---

This topic provides a list of all procedures related to first time installation steps for a Meridium Enterprise APM SQL Server Report Server, as well as links to the related concept and reference topics.

## Deploy the SQL Server Report Server for the First Time

Microsoft SQL Server Reporting Services is a third-party component that the Meridium Enterprise APM system uses to support its reporting functionality. After SQL Server Reporting Services has been installed, you will need to configure the Report Server and set it up to be used with Meridium Enterprise APM. Some of the configuration tasks that you must perform are standard SQL Server Reporting Services procedures that must be performed for any new installation of SQL Server Reporting Services. This documentation does not provide details on configuring standard aspects of the Report Server.

For information on setting up the Report Server, see the SQL Server Setup Help, which you can access on the Report Server via the Reporting Services Configuration Manager, which should have been installed when you installed SQL Server Reporting Services.

After the Report Server has been set up, you will need to complete various additional tasks to ensure the proper functioning of the Report Server with Meridium Enterprise APM. These tasks may be completed by multiple people in your organization. We recommend, however, that the tasks be completed in the order in which they are listed. All steps are required unless otherwise noted.

Step	Task
1	Ensure that the SQL Server Report Server machine meets the system requirements.
2	<a href="#">Configure the SQL Server to use an execution account.</a>
3	<a href="#">Create a domain user and add that user to Content Manager Role on the Home Folder of the SQL Server Report Server.</a>
4	<a href="#">Install and configure Meridium SSRS.</a>
5	Configure Meridium Enterprise APM to use the SQL Server Report Server.


# Configure the SQL Server to Use an Execution Account

**Tip:** For more information on Execution Accounts, consult the Microsoft's *Configure the Unattended Execution Account (SSRS Configuration Manager)* documentation.

## Steps


1. On the machine that will serve as the SQL Server Report Server, access the Reporting Services Configuration Manager.

The **Reporting Services Configuration Manager** window appears.



2. In the left pane, for the account that will be set as an execution account, select the **Execution Account** tab.

The **Execution Account** section appears.



3. In the **Execution Account** section, select the **Specify as an execution account** check box, then enter values in the required fields, and then select **Apply**.

The account is specified as an execution account.




# Create a Domain User and Add that User to Content Manager Role on the Home Folder of the SQL Server Report Server

---

## Steps

1. Create a Windows/domain user with minimum privileges, e.g., *meridium\_reports\_user*. The user name requires minimum privileges to connect to APM Enterprise Server to get data for reports. It is recommended that:
  - The password for this user should never expire.
  - The user should be restricted to change password.
  - The user should be restricted to log in to other servers, e.g., *meridium\_reports\_user*.
  - The user should also be part of IIS\_IUSRS group on SQL Server Report Server machine.
2. Open Reporting Services Configuration Manager.
3. Select the **Report Manager URL** tab.


The **Report Manager URL** section appears.



4. In the **Report Manager Site Identification** section, select the URL to open Report Manager.


Report Manager opens in the default browser, displaying the Home folder.

## Deploying Meridium Enterprise APM



### 5. Select **Folder Settings**.

A **Security** section appears.




### 6. Select **New Role Assignment**.

The New Role Assignment form is displayed.

### 7. Enter the user name of the user that you created in step 1, and then select **Content**


**Manager.** The form will then appear similar to this:



8. Select **OK**.

The user is added to Content Manager role.

## Install and Configure Meridium SSRS

 **Note:** The [Meridium Enterprise APM System Administration tool](#) is installed with the Meridium Enterprise APM Adapter for SSRS.

These instructions assume that your system meets the hardware and software requirements.


### Steps

1. On the machine that will serve as the SQL Server Report Server, in the Meridium Enterprise APM distribution package, navigate to the folder **\\General Release\Meridium APM Framework and Server Setup\Setup\SSRS**.
2. Open the file **Setup.exe**.

A message appears, asking if you want to allow the installer to make changes to your machine.


3. Select **Yes**.

The Meridium SSRS installer appears, displaying the welcome screen.




4. Select **Next**.

The **License Agreement** screen appears.



5. Read the License Agreement, and then, if you agree to the terms, select the **I accept the terms of the license agreement** check box. Then, select **Next**.

The **Select Installation Location** screen appears, prompting you to select the location where the software will be installed. By default, the software will be installed in the following folder: **C:\Program Files\Meridium**.




6. If you are satisfied with the default location where the software will be installed, select **Next**.

-or-

If you want to change the location where the software will be installed, select **Change**, and navigate to the location where you want to install the software. The folder path that you select will be displayed in place of the default folder path. When you are satisfied with the installation location, select **Next**.

The **SQL Server Reporting Server Instances** screen appears.




7. Select the instance of SQL Server Reporting Services that you want to use, and then select **Next**.

The **Complete the Installation** screen appears.

8. Select **Install**.

The **Setup Status** screen appears, which displays a progress bar that shows the progress of the Meridium APM Server and Add-ons installation process. After the progress bar reaches the end, a message appears, indicating that your server is being configured. After your server is configured, the **Installation is Complete** screen appears.





9. *Do not* clear the **Launch APM System Administration now** check box, and then select **Finish**.

The Meridium Enterprise APM Server and Add-ons installer closes, and the **APM System Administration** window appears.

10. On the **APM System Administration** window, select **Adapter for SSRS**.
11. In the **Server URL** box, change the content of the ServerURL to the web services address of the Meridium Enterprise APM Server. Example: **http://{meridium.applicationserver}/meridium/api/**.
12. Select **Save**.

## What's Next?

- Configure Meridium Enterprise APM to use the SQL Server Report Server

## **Meridium Enterprise APM Upgrade Steps**

---

This topic provides a list of all procedures related to upgrade steps for Meridium Enterprise APM.

## Upgrade Meridium Enterprise APM to V4.1.5.0

Upgrading and configuring Meridium Enterprise APM includes completing multiple steps, which are outlined in the table in this topic. The steps in this section of the documentation provide all the information that you need to upgrade and configure the basic system architecture to V4.1.5.0. If you have purchased additional modules for use with V4.1.5.0, you will need to use the first-time installation steps to configure those modules.

The person responsible for completing each task may vary within in your organization. We recommend, however, that the steps be performed in relatively the same order in which they are listed in the table.

**IMPORTANT:** If you are upgrading from V3.6.0.8.0 or V3.6.0.9.0, upgrading directly to V4.1.5.0 is not possible. If you are attempting to upgrade from one of these versions, please consult a member of the Meridium, Inc. Professional Services department.

Step	Task	Notes
1	Ensure that all existing Meridium Security Users have been assigned timezones. Refer to your pre-upgraded system's documentation for information on managing Meridium Security Users.	If there are Meridium Security Users to whom timezones have not been assigned, a failure will occur during the database upgrade process.

Step	Task	Notes
2	<p>If you intend to upgrade the Production Loss Analysis (PLA) module from a starting version that is earlier than V4.0.0.0, <a href="#">import the required baseline rules</a>.</p>	<p><b>Important:</b>                      This step is required <i>only if</i> you intend to upgrade the Production Loss Analysis (PLA) module from a starting version that is earlier than V4.0.0.0. If you intend to upgrade PLA in this manner, this procedure must be completed <i>before</i> upgrading the Meridium Enterprise APM Server and Add Ons software on the Meridium Enterprise APM Server (s). This procedure is part of the <a href="#">upgrade Production Loss Analysis workflow</a>.</p>
3	<p>Create a backup of any configuration files that exist in your pre-upgraded system which you may want to retain post-upgrade.</p>	

Step	Task	Notes
4	<a href="#">Upgrade the Meridium Enterprise APM Server and Add Ons software</a> on the Meridium Enterprise APM Server(s).	Consult the <a href="#">documentation on Redis</a> for information about its incorporation into server configurations.
5	<a href="#">Upgrade the SQL Server Report Server.</a>	
6	<a href="#">Upgrade the Meridium Enterprise APM Database Server.</a>	
7	If you want to activate non-English translations in Meridium Enterprise APM, <a href="#">deploy translations</a> .	
8	As needed, <a href="#">deploy the Meridium Enterprise APM mobile application on mobile devices</a> .	

# Upgrade the Meridium Enterprise APM Server and Add-Ons to V4.1.5.0

---

The following instructions provide details on upgrading the Meridium Enterprise APM Server and Add-ons software on a 64-bit Meridium Enterprise APM Server machine.

## Steps

1. If you are upgrading from any version prior to V4.0.0.0:
  - a. [Uninstall the Meridium Enterprise APM Server and Add-ons Component.](#)
  - b. Ensure that WebDAV Publishing is deactivated. To verify this, in the Server Manager, in the **Local Server** workspace, in the **Roles and Features** section, ensure that **WebDAV Publishing** is not present in the list.
  - c. [Install the Meridium Enterprise APM Server Software and Add-ons Component.](#)

-or-


If you are upgrading from any version V4.0.0.0 or later:

- a. On the Meridium Enterprise APM Server machine, access the Meridium Enterprise APM distribution package, and then navigate to the folder **\\General Release\Meridium APM Framework and Server Setup\Setup\Meridium APM Server and Add-ons**.
- b. Open the file **Setup.exe**.

A message appears, asking if you want to allow the installer to make changes to your machine.
- c. Select **Yes**.

The Meridium APM Server and Add-ons installer appears, displaying the **Preparing Setup** screen. When the setup is prepared, a message appears, asking if you want to upgrade your Meridium Enterprise APM Server.
- d. Select **Yes**.

The **Setup Status** screen appears, displaying a progress bar. When the installation is complete, the **Maintenance Complete** screen appears.



- e. Select **Finish**.

The Meridium APM Server and Add-ons installer closes, and your computer restarts.

## Upgrade the Meridium SSRS to V4.1.5.0

The following instructions assume that you were using the 64-bit Meridium Enterprise APM Adapter for SSRS in your previous version. If you were using the 32-bit Meridium APM Adapter for SSRS, you will need to uninstall the older 32-bit version and [install the new 64-bit version on a 64-bit SQL Server Report Server](#).

### Steps


1. On the SQL Server Report Server, in the Meridium Enterprise APM distribution package, navigate to the folder **General Release\Meridium APM Framework and Server Setup\Setup\SSRS**.

2. Open the file **Setup.exe**.

A message appears, asking if you want to allow the installer to make changes to your machine.

3. Select **Yes**.


The Meridium SSRS installer appears, displaying the welcome screen.



4. Select **Next**.


The **License Agreement** screen appears.





5. Read the License Agreement, and then, if you agree to the terms, select the **I accept the terms of the license agreement** check box. Then, select **Next**.

The **Select Installation Location** screen appears, prompting you to select the location where the software will be installed. By default, the software will be installed in the following folder: **C:\Program Files\Meridium**.




6. If you are satisfied with the default location where the software will be installed, select **Next**.

-or-

If you want to change the location where the software will be installed, select **Change**, and navigate to the location where you want to install the software. The folder path that you select will be displayed in place of the default folder path. When you are satisfied with the installation location, select **Next**.

The **SQL Server Reporting Server Instances** screen appears.




7. Select the instance of SQL Server Reporting Services that you want to use, and then select **Next**.

The **Complete the Installation** screen appears.

8. Select **Install**.

The **Setup Status** screen appears, which displays a progress bar that shows the progress of the installation process. After the progress bar reaches the end, a message appears, indicating that your server is being configured. After your server is configured, the **Installation is Complete** screen appears.



If you do not want the APM System Administration tool to be launched at this time, clear the **Launch APM System Administration now** check box.

9. Select **Finish**.

The installer closes. Additionally, if the **Launch APM System Administration now** check box was selected, the **APM System Administration** window appears.

## Upgrade the Meridium Enterprise APM Database Server to V4.1.5.0

---

This topic provides a list of all procedures related to upgrade steps for the Meridium Enterprise APM Database Server, as well as links to the related concept and reference topics.

# Upgrade the Meridium Enterprise APM Database to V4.1.5.0

---

To upgrade your Meridium Enterprise APM database, you will use the Meridium APM Database Upgrade Manager application, which guides you step-by-step through the database upgrade process. The application is installed automatically when you [install the Meridium Enterprise APM Server](#).

During the database upgrade process, the Meridium Enterprise APM Database Upgrade Manager will:


1. Replace all the baseline database content in your database with the updated baseline Meridium Enterprise APM database content.
2. Compare your public database content to the baseline Meridium Enterprise APM database content, and then:
  - Retain any customized database content.
  - Replace any database content that you have *not* customized in your database with the updated baseline database content.
3. Record every event in the database upgrade log and display a status on the interface.
4. Report errors as they occur.
5. Compile the database when the upgrade is complete.
6. Display a confirmation message when the database upgrade process is complete.

The progress of this process will be displayed while it is running. When it is finished, a message will appear, displaying a summary that includes the number of failures that occurred during the upgrade process.

## Upgrade workflow

The table in this section lists the prerequisite tasks that must be completed *before* you [initiate the database upgrade process](#). These instructions assume that your Meridium Enterprise APM Server and Meridium Enterprise APM Database Server machines meet the Meridium Enterprise APM hardware and software requirements. You can use the Database Upgrade Manager to upgrade a database from any version *V3.4.0 SP3 or later* to your target version. Details on upgrading from a starting version that is earlier than V3.4.0 SP3 are not provided in this documentation. For more information on upgrading your database from a version earlier than V3.4.0 SP3, consult a member of the Meridium, Inc. Professional Services department.

Step	Task	Notes
1	Complete steps 1 and 2 in the <a href="#">upgrade Meridium Enterprise APM to V4.1.5.0 workflow</a> .	For example, if you are upgrading your system to V4.1.5.0, you should upgrade your dedicated Meridium Enterprise APM Server to V4.1.5.0 before attempting to upgrade your database to the V4.1.5.0 database version. Doing so ensures that your machine contains the latest database content file, which is a compressed folder containing the content of the baseline Meridium Enterprise APM database for the target database version.
2	<a href="#">Read and understand how your customizations will be protected during the upgrade process</a> .	You will need to understand how your content is protected to determine what, if any, content you should export from your pre-upgrade database before initiating the database upgrade process.
3	Create a backup of your database.	You should always back up the database before beginning any upgrade process. If any problems occur during the upgrade, the database can then be restored to its original state from the backup copy.
4	If you want to upgrade a SQL Server Database Server from a version of Meridium APM prior to V3.6.0.3.0 to Meridium Enterprise APM V4.1.5.0, then <a href="#">replace the database patches file</a> .	<b>IMPORTANT:</b> This procedure is required only if you are upgrading a SQL Server Database Server from a version of Meridium APM prior to V3.6.0.3.0 to Meridium Enterprise APM V4.1.5.0. If you are upgrading from a version of Meridium APM V3.6.0.3.0 or later, then proceed to step 5.
5	Using a backup copy of your database, <a href="#">perform the upgrade</a> in a test environment.	We recommend that you perform the upgrade in a test environment so that you can assess any issues that you may encounter and correct them before upgrading your database in a production environment.
6	<a href="#">Review the Events Log for duplicate records</a> .	
7	<a href="#">Resolve any database upgrade failures</a> .	

Step	Task	Notes
8	<a href="#">Perform the upgrade</a> in the production environment.	 <b>Note:</b> Before you upgrade your database in a production environment, all the issues that were discovered during the test upgrade must be resolved. Otherwise, the resulting state of your database could be unstable.
9	If the system from which you upgraded utilized an Oracle Database Server, then <a href="#">configure the Meridium Enterprise APM Server for Oracle components</a> .	
10	<a href="#">Remove database notification elements from the database</a> .	This step is not mandatory, but is recommended by Meridium, Inc.
11	In Meridium Enterprise APM, build the search index.	This step is not mandatory, but is recommended by Meridium, Inc.



## Terms Used in this Documentation

The following table lists the common terms that are used throughout the database upgrade documentation and their definitions.

Term	Definition	Examples
Database content	<p>Items that exist in the Meridium Enterprise APM database and are displayed in some form via the Meridium Enterprise APM interface. There are two versions of database content that exist in your database at a given time:</p> <ul style="list-style-type: none"> <li>• <b>Baseline content:</b> The database content that matches the baseline Meridium Enterprise APM database. With the exception of rules and Catalog items, you cannot view baseline content in the Meridium Enterprise APM interface. This content is stored in a separate location from the corresponding public version of that content.</li> <li>• <b>Public content:</b> The database content that you interact with in the Meridium Enterprise APM interface. This content may be the same as the baseline content <i>or</i> it may be the baseline content plus your customizations.</li> </ul>	<p>Queries</p> <p>Entity families</p>
Customized database content	Baseline database content that has changed in your database.	<p>Added a field to a baseline datasheet.</p> <p>Modified an Entity family description.</p>

Term	Definition	Examples
Baseline database content	The database content as it is developed and delivered to you in the baseline Meridium Enterprise APM database.	Query in the Baseline Catalog folder Equipment family
Custom content	Database content that exists only in your database and not in the baseline Meridium Enterprise APM database.	New query New Entity family and fields
Pre-upgrade public version	In the context of the upgrade process, <i>pre-upgrade public version</i> refers to the <a href="#">public version of the database content</a> that exists in your database (prior to upgrading it to the later version).	Query in the Public Catalog folder Datasheet (customized or not)
Pre-upgrade baseline version	In the context of the upgrade process, <i>pre-upgrade baseline version</i> refers to the baseline version of the database content that exists in your database (prior to upgrading it to the later version).	Query in the Baseline Catalog folder. Datasheet with no customizations
Content protection	The process by which the custom changes that you apply to baseline database content are preserved during the database upgrade process. Note that after you apply changes to baseline database content, the database content is considered <i>customized database content</i> .	Field added to a baseline datasheet in your pre-upgrade database also appears in your upgraded database.

## About Customized Database Content Protection

---

In your Meridium Enterprise APM database, there is a baseline version and a public version of each item. The public version can be customized and is the version used by the product, while the baseline version *cannot* be customized. You cannot view the baseline version of most other database content types via the Meridium Enterprise APM interface. However, the baseline version of your database content is used during the database upgrade process.


During the database upgrade process, the Meridium Enterprise APM system will compare each pre-upgrade baseline item in your database with the corresponding pre-upgrade public item in your database to determine whether you have customized a given item. Based on the outcome of that comparison, the database upgrade process will either replace or protect that item. With some exceptions, all your database content will be protected based upon the following criteria:


- If the pre-upgrade public version of an item is different from the pre-upgrade baseline version of that item, the Meridium APM system:
  - Will *not* overwrite your public version of that item with the new baseline version of the item.
  - but-
  - Will overwrite the baseline version of that item in your database.
- If the pre-upgrade public version of an item *matches* the pre-upgrade baseline version, both the pre-upgrade public version and the pre-upgrade baseline version of that item will be overwritten with the new baseline version of the item.
- If only a public version of an item exists, it indicates that the item is custom content, and that content is not overwritten.

In other words, your baseline version of database content is always overwritten with the updated item that is delivered in the new baseline Meridium Enterprise APM database. After upgrading your database, you can also revert items to baseline.


### Illustration of content protection

Consider a scenario where Datasheet A exists in the baseline Meridium Enterprise APM database and you want to upgrade a database in which Datasheet A has been customized (e.g., you added a new field). The following diagram illustrates what the two databases would contain in this case, where the squares represent the unchanged baseline datasheet and the hexagon indicates the same baseline datasheet with your customizations.



 **Note:**As indicated by this illustration, in the baseline Meridium Enterprise APM database, the public and baseline versions of an item are always identical.

When this database is upgraded to the new database version, only the baseline version of Datasheet A will be replaced in your database, as illustrated in the following diagram.



In this way, all your custom changes are retained. Likewise, however, your database will not contain the baseline changes that Meridium, Inc. delivers in a given release. For this reason, you will want to determine which database items will be retained in your database so that you can determine which baseline changes your database will *not* contain after you upgrade. With that information, you can determine whether you want to:


- Continue to use your database content as is, without Meridium, Inc.'s changes

-or-

- Apply Meridium, Inc.'s changes manually to your customized database content.

## Database content replacement versus protection

In general, you can assume that all the *custom* changes you have made to your database content will be retained in your upgraded database. In addition, you can assume that for any custom change that is protected in your database, your database will *not* contain any baseline changes that Meridium, Inc. delivers for that item in a given release. In other words, if Meridium, Inc. delivers updated changes to the baseline version of an item that you have customized in your database, you will not receive those changes because your custom changes will take precedence over the baseline changes. As a result, you should evaluate each *baseline* change that is delivered to determine if you want to apply those changes to your database content.

 **Note:** In a given release, there may be exceptions to the content protection criteria. These exceptions will be communicated via the Meridium, Inc. Release Notes for that version. For example, if Meridium, Inc. changes a baseline field caption, it is possible that Meridium, Inc. can choose to forcibly replace that field caption in your database even if you have customized that field caption already.

You can use the Database Comparison Tool (in pre-upgrade mode) to determine what content will be protected in your database. The output of this tool indicates:

- The baseline Meridium Enterprise APM database content that has been updated in the target version (i.e., content that includes new baseline changes from Meridium, Inc.).
- and-
- Among the content that has been updated in the baseline Meridium Enterprise APM database, that which you have customized in your pre-upgrade database.

Using a combination of the results from the Database Comparison Tool and your understanding of the content protection criteria, you can predict which *baseline* database content changes will *not* be available in your upgraded database. For example, consider the following scenario in which the Database Comparison Tool indicates that the baseline query *Available Recommendations* has been updated in the baseline Meridium Enterprise APM database for your target version *and* that you have customized the *Available Recommendations* query in your pre-upgrade database.

Item Name	Item Path	Type	Baseline Changes	Custom Changes
<a href="#">Available Recommendations</a>	Public\Meridium\Modules\Rec	Query	●	●

In this case, you can assume that your upgraded database will contain:

- Your public version of the *Available Recommendations* query with all your customizations (in the Public Catalog folder).
- The updated baseline *Available Recommendations* query only in the Baseline folder.

Before you upgrade your database, you can use the Database Comparison Tool to view the specific differences between the *Available Recommendations* query in the baseline Meridium Enterprise APM database for the target version and the same baseline query as it exists in your current version. For example, you could see that Meridium, Inc. has added the Asset Description column to the baseline query. At this point, you can decide whether or not you want to either manually apply that change to your custom query after you upgrade *or* manually replace your public query with the baseline query in the Baseline folder.

## Protected database content

The following table lists the types of content that exist in your database and indicates whether customizations to an existing baseline item of that type will be protected during the database upgrade process.

For items in which your customizations will *not* be protected during an upgrade, to maintain your customizations, you will need to export your customized items from your pre-upgrade database

using the Import/Export tool, and then import them into the upgraded database. Alternatively, you can customize the items again, manually, in the upgraded database.

For some attributes of families and family fields, Meridium, Inc. may make a change in the baseline database that will be applied to your database, regardless of whether you have customized that item or not. In these cases, the affected content will *not* be protected. Meridium, Inc. will, however, communicate such changes via the release notes for that version (i.e., in the content changes section). For example, if a family caption changes in the baseline database, your database should contain this change. Therefore, if you have made changes to the same family's caption, your customization will be overwritten. You can, however, obtain the baseline content after you upgrade your database.

Baseline Database Content Type	Protected?	Notes
<b>Family attributes (Entity and Relationship)</b>		
Associated Pages	Yes	Associated Pages are considered one database item per family. This means that if you customize one Associated Page (of many), the database upgrade process will consider <i>all</i> the Associated Pages for that family as customized.
Family description	Yes	None
Family captions	Yes	None
ID Template	Yes	None
Family help text	Yes	None

Baseline Database Content Type	Protected?	Notes
<b>Family attributes (Entity and Relationship)</b>		
Datasheets	Yes	A single data-sheet is considered one database item. This means that if you customize any attribute of a datasheet, the database upgrade process will consider the entire datasheet as customized.

<b>Family attributes (Entity and Relationship)</b>		
Associated Pages	Yes	Associated Pages are considered one database item per family. This means that if you customize one Associated Page (of many), the database upgrade process will consider <i>all</i> the Associated Pages for that family as customized.
Family description	Yes	None
Family captions	Yes	None
ID Template	Yes	None
Family help text	Yes	None



Family attributes (Entity and Relationship)		
<p>Datasheets</p>	<p>Yes</p>	<p>A single data-sheet is considered one database item. This means that if you customize any attribute of a datasheet, the database upgrade process will consider the entire datasheet as customized.</p>
Field attributes		
<ul style="list-style-type: none"> <li>• Caption</li> <li>• Description</li> <li>• Help text</li> <li>• Override parent flag</li> <li>• ID flag</li> <li>• UTC</li> </ul>	<p>Yes</p>	<p>The <i>UTC property</i> will be protected based on whether records exist for the family to which the field belongs. If records exist in a family, the field property will be protected. In other words, if Meridium, Inc. sets the UTC property in a baseline field to <i>True</i> and you already have records in the family to which that field belongs, you will <i>not</i> receive the updated property setting automatically.</p>
Catalog Items		

Field attributes		
Metric Views	No	Baseline Metric Views are always overwritten with the updated baseline Metric View.
Queries	Yes	None
Reports	Yes	None
Graphs	Yes	None

Security Groups		
Security Group caption	Yes	None
Security Group ID	Yes	None
Security Group description	Yes	None
Security Group privileges	No	Baseline Security Group privileges are always overwritten with the updated baseline Security Group privileges.

Records and links between records		
Records	Yes (with some exceptions)	<p>After baseline records for a given family exist in your database, the records in that family will never be overwritten or updated during the database upgrade process, even if you have <i>not</i> customized them in any way. This means that if Meridium, Inc. delivers updates to the existing baseline records or adds additional baseline records in a given family, you will <i>not</i> receive those changes by default. If this occurs, you can choose to perform an additional step to manually obtain the new records or revert your existing records to baseline.</p> <p>There are, however, several families whose records are <i>not</i> protected in this way. The following baseline families are considered <i>recurring</i> exceptions to the</p>

Records and links between records		
		<p>rule that all records and links are protected. This means that the database upgrade process will overwrite the baseline records in these families. In other words, <i>all</i> the baseline records in the following families will always be overwritten in your database with the updated baseline records:</p> <ul style="list-style-type: none"> <li>• Analysis Services Cube</li> <li>• CMMS System</li> <li>• Device</li> <li>• Device Data Presentation</li> <li>• Device Mapping</li> <li>• Device Mapping Family</li> <li>• Device Mapping Field</li> <li>• Pipe Properties</li> <li>• Security Group</li> <li>• Calibration Template Defaults</li> </ul> <p>This means that if</p>

Records and links between records		
		you have customized <i>any</i> baseline record in one of the families in the preceding list, because <i>all</i> the baseline records are overwritten, your changes will be overwritten.
Links between records	Yes	When the records are protected, the relationships that link the records together are also maintained with that record.
Groups of records and links that make up a single entity (e.g., Baseline Risk Matrix)	Yes	A group of records and links that make up a single entity, also known as a composite entity, is treated as one entity for the purposes of the database upgrade process and content protection. After such an entity exists in your database, it will never be overwritten or updated during the database upgrade process, even if you have <i>not</i> customized the records and links in any way.

State Configuration		
State Configuration Roles	No	Baseline State Configuration Roles are always overwritten with the updated baseline State Configuration Roles.
State Configuration Role Description	Yes	None
State Configuration Role Caption	Yes	None
State Role Security Group assignments	Yes	None
Strategy Rules and Strategies	Yes	None

Other content		
System Codes and System Code Tables	Yes	None
Preferences	Yes	None
UOMs and UOM Conversion Sets	Yes	None
Scheduled Items	Yes	None
Rules Library Projects	Yes	None


## Initiate the Database Upgrade Process

---

You can initiate the database upgrade process only from the **Summary** screen in the Database Upgrade Manager. When you do so, the Meridium Enterprise APM system will begin upgrading your database through a process that consists of the following steps:

1. Unzipping the compressed database content folder and extracting its contents.
2. Checking the extracted files against the list of baseline files to determine if all the expected files are available.
3. Loading the baseline database content into your database.
4. Processing each file and protecting your customized items [according to the content protection process](#). When step 7 begins, you should refer to the instructions on monitoring the database upgrade process.

The following instructions assume that your dedicated Meridium Enterprise APM Server already contains the version of the Meridium Enterprise APM software that corresponds to the database version to which you want to upgrade your database, and that you are ready to upgrade your database in either a test or production environment.

 **IMPORTANT:** The database upgrade process can take several hours to complete, depending upon the size of the database, available memory, and other factors. After you start the database upgrade process, you should *not* close the window unless you want to stop the database upgrade process.

### Steps

1. On the dedicated Meridium Enterprise APM Server machine, on the Start menu, expand the **Meridium APM Applications** folder.
2. Select **Database Upgrade Manager**.

The Meridium Enterprise APM Database Upgrade Manager application appears, displaying the **Connection Information** screen.

The screenshot shows a window titled "Meridium APM Database Upgrade Manager" with a sub-header "Connection Information". Inside the window, there is a section titled "Database Server Connection Information" containing several input fields: "Type" (a dropdown menu), "User Name", "Password", "Alias", "Database Server", "Database Name", and "Path to Database Upgrade content" (a text box containing "C:\Meridium\DbUpg" and a browse button "..."). At the bottom of the window are three buttons: "Check Setup", "Exit", and "Help".

3. On the **Connection Information** screen, in the **Database Server Connection Information** section, enter the following information about the database that you want to upgrade to the new version:
  - a. In the **Type** list, select the database type: *SQL Server* or *Oracle*.


Depending on the value that you select, the remaining cells may be hidden. The behavior of each cell is described in its corresponding step.
  - b. In the **User Name** cell, enter the user name or schema name that can be used to log in to your database.
  - c. In the **Password** cell, type the password associated with the value in the **User Name** cell.



- d. In the **Database Server** cell, type the path to the Database Server machine where your database resides. This step applies only to SQL Server database types and is hidden if you selected *Oracle* in the **Type** list.
- e. In the **Database Name** cell, type the name of the database that you want to upgrade. This step applies only to SQL Server database types, and is hidden if you selected *Oracle* in the **Type** list.
- f. In the **Alias** cell, type the database alias for the database that you want to upgrade. This step applies only to Oracle database types, and is hidden if you selected *SQL Server* in the **Type** list.
- g. The **Path to Database Upgrade content** cell contains the folder path for the compressed database content file that was installed when the APM Server software was upgraded. For example, if you accepted the default location during the Meridium Enterprise APM Server upgrade, the compressed file is installed in the folder **C:\Meridium\DbUpg**. In this cell, select  , navigate to the compressed database content file whose file name contains **MI\_DB\_Master**, and then select it.


4. Select **Check Setup**.

The **Readiness Check** screen appears.




The Database Upgrade Manager performs the following checks in the following order:


- Attempts to connect to the database whose connection information is stored in the **Database Server Connection Information** section.
- Attempts to locate the compressed database content file specified in the **Path to Database Upgrade content** cell.

 **Note:** If the Meridium Enterprise APM system encounters issues during the first two checks, corresponding messages will be displayed on the **Connection Information** screen. If you see an error message, you should correct the issue by using the solution indicated in the message, and then select **Check Setup**.

- Checks the first three digits of the version number of the Meridium Enterprise APM Server software on the machine on which you are working to see they match the first three digits of the target database's version number, indicated by the compressed


database content file specified in the **Path to Database Upgrade content** cell. These digits must match. The result of this check is displayed *only* on the **Readiness Check** screen.

 **Note:** If the first three digits of the database content version number do *not* match the first three digits of the Meridium Enterprise APM Server software version, the indicator, \* **<Version>**, will be displayed, where **<Version>** is the version of the Meridium Enterprise APM Server software that is installed on that machine. In addition, an error message will be displayed at the bottom of the **Database Upgrade Readiness Check** section, indicating that the system is unable to determine the version to which you want to upgrade and asking you to check the database content file name and location on the **Connection Information** screen.

 **IMPORTANT:** After you select **Next** on this screen, you cannot come back. Your only options after continuing past the **Readiness Check** screen will be to initiate the upgrade process or exit the application.

5. Select **Next**.

The **Summary** screen appears, expanding to the full size of your screen. For the purposes of this documentation, the **Summary** screen has been resized manually to a smaller size. This screen displays a summary of the information that you provided on the **Connection Information** screen.



6. In the **Summary Information** section:

- a. In the **Trace Level** list, select the value indicating the amount of detail that you want to include in the upgrade logs for each operation that occurs during the database upgrade process. You can choose from the following options:
  - **Less Info:** This is the default setting. When this option is selected, the database upgrade logs will contain enough information for you to determine where an error occurred, but may not contain enough information for you to determine how to correct the issue.
  - **More Info:** When this option is selected, the database upgrade logs will contain additional information, potentially allowing you to determine how to correct the issue. Keep in mind that using this option can cause the upgrade logs to become quite large.
- b. For the **Ignore Failed Events** check box, which is, by default, clear:
  - If you are running the database upgrade process in a *test* environment and want the Meridium Enterprise APM system to continue processing your database even if a failure occurs, select the **Ignore Failed Events** check box. This will provide you with a comprehensive list of failures after the database upgrade process is complete, which you can use to [review and correct the failures](#).
  - If you are running the database upgrade process in a *test* environment and want to review each failure as it occurs, accept the default selection. This means that if a failure occurs during the upgrade process, the upgrade process will pause automatically, [allowing you to review and correct the failures](#) as they occur.
  - If you are running the database upgrade process in a *production* environment, accept the default selection. At this point, you should have already run the database upgrade process in a test environment and resolved any errors that occurred. Therefore, you should not expect any errors to occur during the database upgrade process in your production environment. Using this option, however, will ensure that *if an error does occur*, the upgrade process will *not* continue.

7. To initiate the database upgrade process, select **Continue**.


The **Summary Information** section refreshes, and the following interface elements change:

- The **Trace Level** list and **Ignore Failed Events** check box are disabled. At any point during the upgrade process, however, you can change these settings. To do so, you will need to pause the database upgrade process, and then change the settings. The Meridium Enterprise APM system will then use the new settings, starting with the first operation that is processed after you resume the upgrade process.
- The **Pause** button will appear, which you can use to pause the upgrade process at any point. If you pause the database upgrade process, the button label will change


to **Resume**, which you can select to start the database upgrade process where it left off.


- [The Upgrade Details grid](#) will appear below the **Summary Information** section. This grid displays the status of each file that is processed during the database upgrade process.

In addition, this section displays the progress of the Meridium Enterprise APM system unzipping the compressed database content file and extracting its contents.




After the progress bar reaches the end, the **Summary Information** section refreshes and displays the progress of the Meridium Enterprise APM system checking the extracted files against a manifest to determine if all the expected files are available.



 **Note:** If an expected file is not found during this process, an error message will appear, and then you can select **View Log** to determine which file is missing. If this issue occurs, you should contact Meridium, Inc.

After the progress bar reaches the end, the **Summary Information** section refreshes and displays the progress of the the Meridium Enterprise APM system importing the baseline database content into your database.





After the progress bar reaches the end, the **Summary Information** section refreshes, and the following interface elements change

- The **Trace Level** list and **Ignore Failed Events** check box are disabled. At any point during the upgrade process, however, you can change these settings. To do so, you will need to pause the database upgrade process, and then change the settings. The Meridium Enterprise APM system will then use the new settings, starting with the first operation that is processed after you resume the upgrade process.
- The **Pause** button will appear, which you can select to manually pause the upgrade process at any point. When you do so, the database upgrade process will pause after it completes its current operation, and the button label will change to **Resume**. When the

upgrade process is paused in this way, select **Resume** to begin processing from where it left off.

- [The Upgrade Details grid](#) will appear below the **Summary Information** section. As each file is processed, the grid will display a status value indicating if the file was processed successfully in the upgrade database. In the row for each file, an **Events** button appears. Selecting this button will access the [Events log](#), which you can use to troubleshoot issues by viewing the details of Meridium Enterprise APM system processes.

 **Note:** The amount of information that is available in the Events log is determined by the *Trace Level* setting.



At this point, you should monitor the progress of the database upgrade process.

After the database upgrade process finishes, a message will appear, displaying a summary of the upgrade process. The **Summary Information** section will be refreshed and display a similar summary.

For example, the following image shows what the **Summary Information** section looks like after an unsuccessful database upgrade process completed in a test environment.

Summary Information

Upgrading Meridium Database from: **3510000 to 3510000** Trace level:

Connection Information: **V351\_TEST\_DG\_20130605@ROADEVDB\SQL2008 (Database=V351\_TEST\_DG\_20130605)**  Ignore Failed Events

File Path: **C:\Meridium\DbUpg\MI\_DB\_Master\_3510000.ZIP**

Step 4 of 4 - Processing:                      Successful: 5374 - Failed: 22 - Unprocessed: 0

8. After you have successfully upgraded your database, or if you encounter errors that you cannot [resolve on your own](#), send the upgrade logs associated with the upgrade process to Meridium, Inc. To do so:
  - a. On the **Summary** screen, select **View All Logs**.

A Windows Explorer instance appears, displaying the folder in which the collection of upgrade log files are stored.
  - b. Send [to Meridium, Inc](#) all of the files in this folder. When you do so, be sure to provide your company name and an indication that the files are database upgrade log files.


### What's Next?

- The next step in the [Meridium Enterprise APM Database Server upgrade workflow](#) varies, depending on whether you initiated the upgrade in a test or production environment.

## About the Upgrade Details Grid

The **Upgrade Details** grid appears on the **Summary** screen in the Database Upgrade Manager application during the [database upgrade process](#) when the Meridium Enterprise APM system begins processing each file in your database.

The **Upgrade Details** grid shows the status of each file being processed and provides access to the details of that operation. The following image shows what the **Summary** screen looks like when the **Upgrade Details** grid is displayed.



Each row in the **Upgrade Details** grid represents a file or set of files that are being processed by the database upgrade process. The grid contains the following columns:

- **Advanced Details:** Contains the **Events** button, which is selected to display the **Meridium APM Database Upgrade Event** window, on which you can [view detailed information about how the item in that row was processed by the Meridium APM system](#). You cannot sort the values in this column.
- **Detail Key:** Contains a number representing the order in which the item in that row is being processed in relation to the others in the grid, starting with 1 (one). By default, the



values in this column are sorted in ascending order.

- **Status:** Contains one of the following values, indicating the status of that item within the database upgrade process:
  - **Loaded:** The Meridium Enterprise APM system is processing the item in that row. This is the first status for each item.
  - **Success:** The item in that row has been successfully processed in your database. This is the final status for each item.
  - **Failure:** An error occurred while processing the item in that row, and it was not successfully processed.
  - **In Progress:** The item is currently being processed.
- **Version:** The database version of the item in that row. Because you can upgrade across multiple versions, the Meridium Enterprise APM system will process each version of the item in each row, and this value will change as the Meridium Enterprise APM system processes the successive versions of the file in that row. After an item is processed successfully, the version number value will match the target database value.
- **Database Item Name:** The file path and name of the file being processed.
- **Process Date and Time:** The date and time on which the Meridium Enterprise APM system finished processing the item in that row.

You can change the sort that is applied to the values in any column except the **Advanced Details** column by selecting that column's heading. When you do so, an icon will appear in the column heading, indicating the sort that is applied to the values:

Indicates that an ascending sort is currently applied. You can select this button to sort the values in *descending* order.

Indicates that a descending sort is currently applied. You can select this button to sort the values in *ascending* order.

The grid is hidden by default. You can collapse and expand the grid using the button that appears to the left of the **Upgrade Details** label above the grid. This button changes depending upon the current state of the grid.


Indicates that the grid is expanded. You can select this button to collapse the grid.

Indicates that the grid is hidden. You can select this button to expand the grid.

## About the Events Log


As each event occurs during the database upgrade process, the details about the Meridium Enterprise APM system's processes are recorded in the Events log. You can use this log to troubleshoot issues. You can access the Events log via the **Events** button in each row in the **Upgrade Details** grid. Doing so displays the Events log for the event in that row. The amount of information that is available in the Events log is determined by the *Trace Level* setting.

The content of the Events log is displayed on the **Meridium APM Database Upgrade Event** window. The following image shows an example of what the Events log looks like when it is first accessed.



All the available details for a given event are displayed by default. You can expand the nodes in the **Event Stack** pane and select subnodes to view associated details in the **Event Details** pane. Further, you can expand a subnode to view only those details in the **Event Stack** pane.

For example, the following image shows what the Events log looks like when the first subnode is selected.



To close the Events log, on the bottom of the window, select **Close**.

## About Reviewing the Log for Duplicate Records

---

When you upgrade your database (either as a test or in production), the database upgrade process will process all the records in your database and identify records that Meridium, Inc. has delivered as part of earlier releases (i.e., baseline records). During this process, the records that are identified as baseline records are flagged as *baseline* so that in future releases, the upgrade process can apply baseline changes to the appropriate baseline records without inadvertently changing your custom records.

To distinguish the baseline records from your custom records, the database upgrade process looks for specific field values in the records in a given family, and if a match is found, the record is flagged as *baseline*. It is possible that one of your custom records could contain the same combination of values as the baseline record. In these cases, the database upgrade process will:

- Flag the *oldest* of the duplicate records as the baseline record (i.e., the one that was created first).
- Create an entry in the upgrade log for the family in which the duplicate records were found. This entry indicates that the family has duplicate records and provides SQL syntax for a query that you can run to see which records are duplicates and which record the database upgrade process flagged as the baseline record.

This means that it is possible that one of your custom records could be flagged unintentionally as a baseline record. To ensure that the upgrade process has flagged the appropriate records as baseline, you will need to perform a manual step. After the database upgrade process is complete, you will need to:

- Review the log entry to see if you have duplicate records in any of the families in your database.
- If duplicate records exist in your database, you will need to review those duplicate records and determine whether the upgrade process flagged the correct record as baseline. If the upgrade process has flagged a record incorrectly as baseline, the next steps will vary depending upon how the record is used within the product. These steps exceed the scope of this documentation.

**IMPORTANT:** Reviewing the duplicate records will require someone to look at the actual data, including the field values and relationships to other records. The person who reviews the data should be familiar with the area of the product with which the family is associated.

## Review the Events Log for Duplicate Records

---


The following instructions provide guidelines on reviewing duplicate records. These instructions assume that the database upgrade process (test or production) has completed.

### Steps

1. In the **Upgrade Details** grid, locate the row representing the event with the following Database Item Name, and then view its details:


**C:\Meridium\DbUpg\Versions\<>version>\\_99\_PostProcess\70\_RecordAndLinksValidation.cmd**

...where **<version>** is the target database version. For example, the following image shows what this event looks like for a V3.5.1 upgrade.



Events	19436	Success	3510000	C:\Meridium\DbUpg\Versions\3510000\_99_PostProcess\70_RecordAndLinksValidation.cmd
--------	-------	---------	---------	--

2. On the **Meridium APM Database upgrade Event** window, in the **Event Details** pane, locate the section **Families with Duplicate records**, as shown in the following image.



If this section contains subsections containing names of families, it indicates that duplicate records were identified for that family. For example, in the preceding image, you can see the **Data Mapping Column-Field Pair** subsection, which indicates that there are duplicate records in the Data Mapping Column-Field Pair family.

Each subsection includes the SQL code for a query that will return the duplicate records and indicate which of the duplicates was flagged as the baseline record.

At this point, if duplicate records have *not* been identified in your database, you can ignore the remaining instructions and return to the upgrade checklist. The remaining instructions assume that duplicate records have been identified in your database.

3. For each family in which duplicate records were identified, copy the entire SQL code statement from the log, and then run the query using that code. You can run the query using a database query tool such as SQL Server Management Studio.
4. Review the query results. Specifically, you should look at the **BaselineRecord** column. A value of **Y** indicates that the record in that row was flagged as the baseline record. A value

of *N* indicates that the record is a record that you created, and that it is not flagged as a baseline record.

At this point, if you have records in your database that have been flagged incorrectly as baseline records, the steps that need to be taken will vary depending upon how the record is used in the Meridium Enterprise APM system. These steps exceed the scope of this documentation.

## Database Upgrade Failure Resolution

---

During the database upgrade process in your test environment, you may see the status *Failure* in the **Update Details** grid. This indicates that an error occurred while processing the event in that row, and it was not successfully processed. Depending upon the state of the **Ignore Failed Events** check box, these errors may cause the database upgrade process to pause itself automatically or continue running despite the errors. In either case, the errors will be written to the upgrade log. If you see a failure, you should follow these steps to troubleshoot the associated error:

### Steps

1. Review the Events log. Use the **Events** button in the same row as the *Failed* status to [access the Events log](#) associated with that item. The Events log contains the processing details associated with that item, which you can use to determine the cause of the error. At this point, if you are able to correct the error, you can do so, and then resume the database upgrade process.
2. Review the current upgrade log. If you are unable to determine the cause of the failure using the Events log, or you are unable to correct the issue using only the information in the Events log, select **View Current Log** to access the current upgrade log for the upgrade process. The current upgrade log contains processing details for all operations that have been completed so far, including the failed item. You can use the current upgrade log to determine the cause for the error. At this point, if you are able to correct the error, you can do so, and then resume the database upgrade process.
3. If you are unable to correct a failure on your own, you should send all available upgrade log files [to Meridium, Inc.](#) You can select **View All Logs** to access the location where all the logs associated with the upgrade process are stored.

### What's Next?

- Refer to the [Meridium Enterprise APM Database Server upgrade workflow](#).



## Configure the Meridium Enterprise APM Server for Oracle Components

In previous releases, you were instructed to modify the following files on the dedicated Meridium Enterprise APM Server machine to bind the 64-bit .Net Framework to the Oracle.DataAccess component:

- C:\WINDOWS\Microsoft.NET\Framework64\V2.0.50727\CONFIG\machine.config
- C:\Windows\Microsoft.NET\Framework64\V4.0.30319\CONFIG\machine.config

The modifications from previous releases are no longer necessary with ODAC version 11.2.0.3 and *must be removed*. The following instructions provide details on removing the modifications from these files.

### Steps

1. On the Meridium Enterprise APM Server machine, open two Windows explorer windows.
2. In one window, navigate to the folder C:\WINDOWS\Mi-  
crosoft.NET\Framework64\V2.0.50727\CONFIG  
-and-  
In the other window, navigate to the folder C:\Win-  
dows\Microsoft.NET\Framework64\V4.0.30319\CONFIG
3. From each folder, in a text editor (e.g., Notepad), open the file **machine.config**.
4. In each file, between the opening and closing **<configuration>** tags, delete the following content:

```
<runtime>
  <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
    <dependentAssembly>
      <assemblyIdentity name="Oracle.DataAccess"
        publicKeyToken="89b483f429c47342" />
      <bindingRedirect oldVersion="2.0.0.0-10.9.9.9"
        newVersion="2.112.1.0" />
    </dependentAssembly>
  </assemblyBinding>
</runtime>
```

5. Save the files, and then close them.

### What's Next?

- Refer to the [Meridium Enterprise APM Database Server upgrade workflow](#).

## Remove Database Notification Elements from the Database

---

After upgrading your Meridium Enterprise APM Database Server, Meridium, Inc. recommends that a Database Administrator manually remove database notification elements from the database.

### Steps

- For an Oracle server, the Database Administrator should run the command `REVOKE CHANGE NOTIFICATION FROM mi_connect_role`.

-or-

For a SQL server, the Database Administrator should run the command `ALTER DATABASE <db_name> DISABLE BROKER`.

### What's Next?

- Refer to the [Meridium Enterprise APM Database Server upgrade workflow](#).

## Replace the Database Patches File

---

**IMPORTANT:** This procedure is required only if you are upgrading a SQL Server Database Server from a version of Meridium APM prior to V3.6.0.3.0 to Meridium Enterprise APM V4.1.5.0. If you are upgrading from a version of Meridium APM V3.6.0.3.0 or later, then proceed to the next step in the [Meridium Enterprise APM Database Server upgrade workflow](#).

### Before You Begin

These instructions assume that you have received the Meridium Enterprise APM distribution package for V4.1.5.1. If you have not, please contact a member of the Meridium, Inc. Professional Services department.

### Steps

1. Complete steps 1 through 3 in the [Meridium Enterprise APM Database Server upgrade workflow](#).
2. On the Meridium Enterprise APM Server, access the folder `C:\Meridium\DbUpg`, and then change the name of the contained file `MI_DB_Patches_4010500.zip` to `MI_DB_Patches_4010500_OLD.zip`.
3. On the Meridium Enterprise APM Server, in the Meridium Enterprise APM distribution package for V4.1.5.1, access the **Database** folder, then copy the file `MI_DB_Patches_4010500.zip`, and then paste that file in the folder `C:\Meridium\DbUpg`.

You can now upgrade a SQL Server Database Server from a version of Meridium APM prior to V3.6.0.3.0 to Meridium Enterprise APM V4.1.5.0.

# Deploy Translations

---

## Before You Begin

Deploying translations is part of both the [Meridium Enterprise APM first time deployment workflow](#) and the [Meridium Enterprise APM upgrade workflow](#). Ensure that you have completed the preceding steps in the appropriate workflow before attempting to deploy translations.

## Steps

1. If you have not already done so, activate the licenses for the translations that you have purchased.
2. On the Meridium Enterprise APM Server, run the file *Meridium.<version>.EnableTranslations.exe*, which is located on that machine in the folder *C:\Program Files\Meridium\Upgrade*, against the database for which you have activated the licenses for the translations.
3. On the Meridium Enterprise APM Server, reset IIS. To do so, on the Meridium Enterprise APM Server, select the Windows start button, then select **Administrative Tools**, and then open **Internet Information Services (IIS) Manager**. In the **Internet Information Services (IIS) Manager** window, in the tree in the **Connections** section, select the Meridium Enterprise APM Server, and then, in the **Actions** section, select **Restart**.
4. You can now manage translations.

## Manage Translations

## Deploying the Meridium Enterprise APM Mobile Application

---

This topic provides a list of all procedures related to deploying the Meridium Enterprise APM mobile application.

# Install the Meridium Enterprise APM Mobile Application on Mobile Devices

---

## Steps

You must install the Meridium Enterprise APM mobile application on any mobile devices that your site plans to use. The method that you use for installing the Meridium Enterprise APM mobile application will differ depending upon the type of operating system that you use.

- If you are using the iOS operating system, you must sign the app using your [Enterprise Developer Credentials](#).  
*-or-*
- If you are using an Android operating system, you can install the Meridium Enterprise APM mobile application using your standard mobile device management tool. The .APK file is located on the Meridium Enterprise APM Server, in the folder <root>\ApplicationServer\distribution, where <root> is the location in which Meridium Enterprise APM is installed (e.g., C:\Program Files\Meridium).  
*-or-*
- If you are using a Windows operating system:
  - a. On the Meridium Enterprise APM Server, navigate to the folder <root>\ApplicationServer\distribution, where <root> is the location in which Meridium Enterprise APM is installed (e.g., C:\Program Files\Meridium), and then copy the contained file **Meridium.zip** to the device on which you want to install the Meridium Enterprise APM mobile application.
  - b. On the device on which you want to install the Meridium Enterprise APM mobile application, extract the content of the copied .ZIP file to a local folder.
  - c. In the folder into which you extracted the .ZIP file content, via the CMD shell, run the file **RunOnce.bat**.
  - d. In the folder into which you extracted the .ZIP file content, press and hold the file **install.ps1** until the shortcut menu appears, and then select **Run with PowerShell**.  
The Meridium Enterprise APM mobile application is installed on the Windows device.

This help system assumes that you are familiar with installing Apps on your mobile devices, so specific instructions for installing the Meridium Enterprise APM mobile application are not provided.

## About Installing the Meridium Enterprise APM Mobile Application on iOS Devices

---

Meridium provides an iOS app, but there are specific steps that must be taken for an organization to install the Meridium Enterprise APM mobile application on iOS devices. Before the application can be installed, a developer's license must be purchased. The Developer Credentials that this license contains must be used to *sign* each installation that is performed on an iOS device. You can apply to the iOS Developer Enterprise Program using the website <https://developer.apple.com/programs/ios/enterprise/>.

Various tools can be used to sign a the Meridium Enterprise APM mobile application installation, such as iResign.

For more information on iOS Meridium Enterprise APM mobile application installation, [contact Meridium, Inc.](#)

## System Administration

---

This topic provides a listing of all topics related to deployment and upgrade System Administration.



## Redis


---

This topic provides a list of the all the procedures related to Redis, as well as links to the related concept and reference topics.

## About Configuring Redis Server

---

The configuration settings for the Redis server are controlled through the “conf” file that is specified when installing the service. You can change settings by modifying the file and restarting the service to apply the changes. You can also use the CONFIG GET and CONFIG SET commands from a Redis client to view/alter the server configuration.

 **Note:** The “conf” file does will not be updated with the changes settings that occur run time. After making changes to the “conf” file, be sure to restart the service.

### Configure Server and Ports

By default, the Redis server runs on **TCP Port 6379**.

- If the Meridium server and the Redis server are on **same** machine - Connections are allowed from the local server.
- If the Meridium server and the Redis server are on **different** machines - Port 6379 must be accessible between the Client and the Server. Any firewalls between the systems must be configured to support traffic over this port. The default port is changed in the “conf” file to 6379 by adjusting the “port” value.

### Configure Secure Access

It is recommended to always use Redis in an environment, where the network and the Redis server is secured.

- If the Meridium server and the Redis server are on **same** machine - Redis can be secured by blocking external access to the network port (port 6379) allowing connections only from the local server.
- If the Meridium server and the Redis server are on **different** machines, you can secure the access by -
  - Configuring Redis to use a password.


**Note:** By default, Redis is configured without a password.

When using a password on the redis server, you must configure the connection string to include the password.

- a. On the Meridium Enterprise APM Application Server, navigate to c:\ProgramData\Meridium\MeridiumAppSettings.xml file.
- b. Open the file **MeridiumAppSettings.xml** in an application that you can use to modify XML script (e.g., Notepad).
- c. Within the **<cacheServiceUrl>** setting, change the default value "localhost" to localhost,password=MySuperSecretPass

**Note:** The password in the xml file can be encrypted by running the MeridiumCachePasswordUtility.exe from a command prompt and passing in c:\ProgramData\Meridium\MeridiumAppSettings.xml as a command line parameter.


- Setting up the firewall on the Redis server to only allow connections from the Meridium servers.

 **Note:** If Redis is configured on a separate sever and network transmissions are across an unsecured/open network then it is recommended to use third-party software, such as **Stunnel**, to enable SSL communication between systems.

## Standard Deployment Architecture


---

By default, the standard single system deployment architecture includes the Redis server on the same system as the Meridium Enterprise APM server.



## Setup Meridium Server - Medium Cache Configuration

Meridium servers are setup either using a medium cache configuration or a high availability configuration.

 **Note:** In a standard deployment, the Redis server is on the same system as the Meridium Enterprise APM server.

### Medium Cache Configuration

#### Steps

To configure Meridium Enterprise APM servers using medium cache configuration:

1. On the Meridium Enterprise APM Server machine, navigate to the folder `c:\ProgramData\Meridium`.
2. Open the file `MeridiumAppSettings.xml` in an application that you can use to modify XML script.

```
<?xml version="1.0" encoding="utf-8"?>
<configuration>
  <appSettings>
    <!-- Meridium web api -->
    <add key="baseUrl" value="http://{0}/Meridium" />

    <!-- session timeout values, in minutes. -->
    <add key="sessionTimeout" value="20" />


    <!-- query timeout values, in minutes. -->
    <add key="commandTimeout" value="360" />

    <!-- query timeout values, in minutes. -->
    <add key="transactionTimeout" value="5" />

    <!-- Cache Service -->
    <add key="cacheType" value="redis" />
    <add key="cacheServiceUrl" value="localhost" />
    <add key="cacheTimeout" value="1440" />

    <!-- Notification Service -->
    <add key="notificationServiceUrl" value="net.tcp://{0}/Meridium/Service/Notification" />
  </appSettings>
</configuration>
```


3. Within the `<Cache Service>` tag, make changes to the following Redis-specific settings:
  - `cacheType`- Value should read "redis"

 **Note:** "redis" is supported for any customer implementations.

- `cacheServiceUrl`- Default value at installation time is "localhost". If Redis is

configured on different server using a non-default port, values should contain a comma separated set of values.

- **cacheTimeout** - Default value is 1 day or 1440 minutes.

 **Note:** The system will first check if these settings are configured in the executable or web config file and if not, it will then load them from the MeridiumAppSettings.xml file. Meridium's recommendation is to use the MeridiumAppSettings.xml file to ensure consistency across the installation and to give you the ability to change the settings for all of the services and web sites in one place per server.

## Install Redis - High Availability Configuration

### Steps

**Note:** By Default, Meridium Installer performs these steps automatically for a standard install.

1. On the Meridium Enterprise APM Server machine, login as an administrator.
2. Open a command prompt window.
3. In the command prompt window, change to the directory where the file was copied.
4. Enter the following command in the window:


```
redis-server --service-install redis.windows.conf
```

5. Press Enter on the keyboard.

Redis is now installed as a service.

6. On the Windows Start menu, enter **Services.msc** in the **search** box.
7. Press Enter on the keyboard.

The **Services** window appears.




8. Double-click on Redis service.

Redis service is now running on the Meridium Enterprise APM Server machine.

## Setup Meridium Server - High Availability Configuration

If Meridium servers are setup in a load balanced configuration, then the Redis server should be running on a separate system with each Meridium server/service configured to point to the separate system. Redis Servers can be configured either by Replication only Setup *or* by Automatic Fail-Over monitoring.



### Replication only Setup

Redis can be configured with replication only. Replication only setup means that Redis will replicate data automatically to any configured slaves but in the event of a failure, an administrator must login and manually change a server to be master instead of slave.

A number of changes are needed in the Redis configuration file. To enable the Redis master-slave configuration:

### Changes to the Master

#### Steps:

1. Configure the save intervals.

```
save 900 1
```

```
save 300 10
```



```
save 60 10000
```

2. Configure the directory for the persisted data.

```
heapdir "c:\\path_to_where_data_is_stored\\"
```

3. Enable persistence.

```
persistence-available yes
```

## Changes to the Slave


### Steps:

1. Configure the slave to point to the master IP address.

```
slaveof <masterip> <masterport>
```


2. Configure the slave priority to a lower value than the master.

```
slave-priority 1
```

 **Note:** The default priority is 100. Configure the first slave and set the priority to 1, then 2, etc.

## Automatic fail-over monitoring and configuration

In this type of setup, the setup will automatically replicate any data changes from the master to the slave. Sentinel will then automatically detect a failure and re-configure the Redis slave to be the master in the event of a failure.

 **Note:** Its is recommended that Redis be configured in a master/slave setup with Sentinel.


### Steps

1. Install Sentinel using the Redis server executable file.


2. Make changes to the Sentinel "Conf" file:

```
redis-server --service-install sentinel.windows.conf --loglevel verbose --service-name Sentinel --sentinel
```

3. Configure the port in the Sentinel "conf" file.

 **Note:** By default, the Redis server runs on **TCP Port 26379**. If using in a non-secure network then the port should be blocked from external access but be accessible from all other sentinels and all Redis servers. Sentinels should be 1 more than the number of slaves.

4. To use Meridium, Redis, and Sentinel in a High Availability Configuration:
  - a. On the Meridium Enterprise APM Server machine, navigate to the folder **c:\ProgramData\Meridium**.
  - b. Open the file **MeridiumAppSettings.xml** in an application that you can use to modify XML script (e.g., Notepad).
  - c. Within the **<Cache Service>** tag, make changes to the following Redis specific settings:
    - **cacheServiceUrl**- The servers are separated by a comma at the beginning of the connection string and should include the port number, if non-default ports are used.

 **Note:** All servers (Meridium, Redis, and Sentinel) in a High Availability configuration must use the same password.

## About Redis

---

Redis is a high-performance, NoSQL key-value database typically used for caching data to scale high-traffic websites. Meridium Enterprise APM uses Redis for caching purposes and to ensure a consistent shared cache among the various servers and services that make up a Meridium Enterprise APM installation. Redis is an open source software component licensed under the Three Clause BSD License.

### More Details

Redis provides a basic Pub-Sub messaging infrastructure that allows the server to notify subscribed clients of changes or various events that occur on the server. Meridium uses this feature to notify servers/services when cached data has changed, caches expire, or caches are removed. This feature along with the Meridium Notification Service is used for change notification. Redis events specifically handle cached/static data such as metadata - while the Meridium Notification Service handles more dynamic changes such as Entity inserts/updates. Redis is used as an in-memory cache to store user session information, various types of metadata (family definitions, field definitions, security groups, etc.), and catalog data.


## Manage the Meridium Enterprise APM Database Comparison Tool

---

This topic provides a list of all procedures related to managing the Meridium Enterprise APM Database Comparison Tool, as well as links to the related concept and reference topics.

## About the Meridium Enterprise APM Database Comparison Tool

Using the Meridium Enterprise APM Database Comparison Tool, you can compare different databases. The following table identifies the purposes of available comparisons, and when you need to initiate each comparison.

 **Note:** All comparisons are made against the same constant: the baseline Meridium Enterprise APM database for the target version.

Variable	Purpose of Comparison	When to Perform Comparison
The content of the <i>baseline</i> Meridium Enterprise APM database for the source version.	Allows you to see the changes that Meridium, Inc. has made since releasing the version from which you are upgrading.	<a href="#">Before upgrading your database.</a>
The content of your <i>customized</i> database for the source version.	Allows you to see how the content of the baseline database for the target version compares to the changes you have made in the source version.	<a href="#">Before upgrading your database.</a>
The content of your <i>customized</i> database for the target version.	Allows you to see how the content of the baseline database for the target version compares to the changes you have made in that version.	<a href="#">After upgrading your database.</a>

You can use the Meridium Enterprise APM Database Comparison Tool to:

- **Initiate a new database comparison.** The options that are available in the tool depend upon whether you are running the comparison against a [pre-upgraded database](#) or an [upgraded database](#).

-or-

- [Load results from a previous database comparison.](#)

The Meridium APM Database Comparison Tool works like a builder, which contains two screens, which are presented in the order in which they are presented in the following list:

- **Connection Information:** Lets you specify the connection information to the database whose content you want to compare against the content of the baseline database for the target version.

The screenshot shows a window titled "Meridium APM Database Comparison Tool" with a sub-header "Connection Information". The main area is titled "Database Server Connection Information" and contains several input fields: "Meridium Datasource", "Meridium User Name", "Meridium Password", "Source Version", and "Path to Database Upgrade content". The "Path to Database Upgrade content" field contains the text "C:\Meridium\DbUpp\MI\_DB\_Master\_3500100.ZIP" and has a browse button ("...") to its right. At the bottom of the window, there are four buttons: "Load Results", "Next", "Exit", and "Help".

- **Comparison Details:** Lets you run the comparison to see information about the difference between the content of the two databases that you are comparing.

**Meridium APM Database Comparison Tool**

### Comparison Details

Summary Information

Comparison From:	User:	Last Comparison Time:	<input type="button" value="Run Comparison"/>
3500000 to 3500100	MAYBERRY\aduncan	12/19/2012 12:18 PM	<input type="button" value="Save Results"/>
			<input type="button" value="Export"/>

615 differences found.  
Upgrade Comparison

Item Name	Item Path	Type	Baseline Changes	Custom Changes
<a href="#">MaintenanceItem_CNF</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">MaintenanceItem_EM</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">MaintenancePlan_EM</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">MI_InspectionTasksUpdate</a>	Public\Rules Library\Meridium\Strategy I	Rule Library	●	
<a href="#">Notification_CNF</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">ObjectListItem_CNF</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">TaskList_CNF</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">TaskList_EM</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">MI Security User</a>	Public\Rules Library\Meridium\Root Entit	Rule Library	●	
<a href="#">MI_EQUIP000</a>	Public\Rules Library\Meridium\Root Entit	Rule Library	●	
<a href="#">MI_FNCLOC00</a>	Public\Rules Library\Meridium\Root Entit	Rule Library	●	
<a href="#">MI_IMPACTCD</a>	Public\Rules Library\Meridium\Root Entit	Rule Library	●	
<a href="#">MI_MRBIANAL</a>	Public\Rules Library\Meridium\Root Entit	Rule Library	●	
<a href="#">MI_OPR_AL_VL</a>	Public\Rules Library\Meridium\Root Entit	Rule Library	●	

On this screen, you can also:

- [Save the results to a .ZIP file](#), which can be [reloaded](#) into the tool later via the **Connection Information** screen.
- [Export the results to an Excel file](#).

## Run the Comparison Against a Pre-Upgraded Database

These instructions assume that you want to compare the content of your current, pre-upgraded Meridium source database against the baseline content of a newer version of the Meridium database.


The pre-upgrade version of the Meridium Enterprise APM Database Comparison Tool

**IMPORTANT:** The comparison process can last *an hour or longer*, depending upon the size of the database being compared, available memory, and other factors. After you start the process, you should *not* close the progress window unless you want to stop the comparison process. You may continue working in other windows while the process is running.

### Steps

1. On the Meridium Enterprise APM Server, navigate to the folder **C:\Program Files\Meridium\Client\100.0.0.0.0**, and then open the file **DatabaseReport.exe**.

The Meridium Enterprise APM Database Comparison Tool appears, displaying the **Connection Information** screen.



The screenshot shows a window titled "Meridium APM Database Comparison Tool" with a "Connection Information" header. The main area is titled "Database Server Connection Information" and contains several input fields: "Meridium Datasource", "Meridium User Name", "Meridium Password", "Source Version", and "Path to Database Upgrade content". The "Path to Database Upgrade content" field is pre-filled with "C:\Meridium\DbUpp\MI\_DB\_Master\_3500100.ZIP" and has a browse button (three dots) to its right. At the bottom of the window, there are four buttons: "Load Results", "Next", "Exit", and "Help".



2. In the **Meridium Datasource** box, enter the name of the data source that you want to use in the comparison.
3. In the **Meridium User Name** box, enter the User ID for a Security User that can log in to the specified data source.

 **Note:** The specified Security User must be a Super User.

4. In the **Meridium Password** box, enter the password associated with the specified Security User.
5. In the **Source Version** box, enter the seven-digit database version that matches the version of your source database that is being compared. You must enter the version in the format **vvvmmzz**, where:
  - **vvv** is a three-digit number representing the main version.
  - **mm** is a two-digit number representing the maintenance release version, if applicable. If the maintenance release version is a single digit, you must prepend zero (0) to it. If there is no maintenance release version, you must enter *00*.
  - **zz** is a two-digit number representing the hot fix version, if applicable. If the hot fix version is a single digit, you must prepend zero (0) to it. If there is no hot fix version, you must enter *00*.

For example, the database version number for **V3.5.1MR6HF2** would be **3510602**.

If you do not know the main version, service pack version, and hot fix version of your database, you can find it by using either of the following methods:

- Run the following query against the database:  

```
Select modl_ver_nbr from mi_modules where modl_nm = 'Meridium Core';
```
- In the Configuration Manager, on the **About Meridium APM** window (accessed from the **Help** menu), for the Meridium APM Framework Tools license, locate the value in the **Version** column. The database version you should enter in the **Source Version** box is this version number *without* the periods.


Meridium APM Framework Tools	3.5.0.0100	10/17/2012 11:23:26 PM	ACTIVE
------------------------------	------------	------------------------	--------

6. In the **Path to Database Upgrade content** box, if a path is provided, confirm that it is the correct path pointing to the newer V4.X baseline content. If a path is not provided, you may enter the appropriate path.

The path identifies the location of the newer baseline content file (e.g., MI\_DB\_Master\_4000000.zip). The default path is **C:\Meridium\DbUpg**, but this path could have been changed during the Meridium APM Server and Add-ons installation.

7. When you are finished specifying connection information, select **Next**.

If your database connection entries are valid, the **Comparison Details** screen appears.




The following information appears in the **Summary Information** section:

- **Comparison From:** The database versions that will be compared, using the format: <source version> to <target version>  
...where:
  - **<source version>** is the version of the source database that you are comparing against. The source version on the left should match **Source Version** box on the **Connection Information** screen.
  - **<target version>** is the version of the database content to which you are upgrading. The target version on the right should match the file that you specified in the **Path to Database Upgrade content** box on the **Connection Information** screen.
- **User:** The credentials of your Windows user.
- **Last Comparison Time:** The date and time of any previous database comparison performed with this database. If the comparison has never been performed with this database, then the current date and time is displayed.

8. Select **Run Comparison**.

A progress bar appears.

## Deploying Meridium Enterprise APM



Eventually, a command prompt window will appear, displaying the progress of the various comparison stages.

```
C:\Meridium_Comparison\ContentGenerationUtility.exe
Parsing MI_PIF_REU StateConfiguration
Parsing MI_PIF_REU States
Parsing MI_PIF_REU Operations
Parsing MI_PIF_REU Roles
Parsing MI_PIF_REU Fields
Parsing MI_PIF_REU Datasheets
Parsing MI_POLRECOM Families
Parsing MI_POLRECOM FamilyDataFilters
Parsing MI_POLRECOM FamilyReports
Parsing MI_POLRECOM StateConfiguration
Parsing MI_POLRECOM States
Parsing MI_POLRECOM Operations
Parsing MI_POLRECOM Roles
Parsing MI_POLRECOM Fields
Parsing MI_POLRECOM Datasheets
Parsing MI_PRE_DUE0 Families
Parsing MI_PRE_DUE0 FamilyDataFilters
Parsing MI_PRE_DUE0 FamilyReports
Parsing MI_PRE_DUE0 StateConfiguration
Parsing MI_PRE_DUE0 States
Parsing MI_PRE_DUE0 Operations
Parsing MI_PRE_DUE0 Roles
Parsing MI_PRE_DUE0 Fields
Parsing MI_PRE_DUE0 Datasheets
```

When the comparison is complete, the command prompt window closes automatically, and the [comparison results](#) appear in the **Upgrade Comparison** section of the **Comparison Details** screen.

**Meridium APM Database Comparison Tool**

### Comparison Details

Summary Information

Comparison From:	User:	Last Comparison Time:
3450000 to 3500000	MAYBERRY\aduncan	11/20/2012 11:54 PM

2053 differences found.  
Upgrade Comparison

Item Name	Item Path	Type	Baseline Changes	Custom Changes
<a href="#">01Yakima</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">02All Customers</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">03Media Type (All Media)</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">04Yearly Income (All Yearly Income)</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">05Marital Status (All Marital Status)</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">06City (CA)</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">07Store Sqft</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2005 Customer View</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2005 Customer View Only</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2008 Highlight Table</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2008 Legend Displayed In as Meas</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2008 No Measure - Legend and Rov</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2008 One Measure - On LegendCol</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">Action Test Case</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		

## About the Pre-Upgrade Meridium Enterprise APM Database Comparison Tool Comparison Results Grid

When you perform a pre-upgrade database comparison, the results appear in a grid on the **Comparison Details** screen.

Meridium APM Database Comparison Tool

**Comparison Details**

Summary Information

Comparison From: 3500000 to 3500100      User: MAYBERRY\aduncan      Last Comparison Time: 2/1/2013 10:13 AM

Run Comparison  
Save Results  
Export

622 differences found.  
Upgrade Comparison

Item Name	Item Path	Type	Baseline Changes	Custom Changes
<a href="#">IntegrationInterfaces</a>	Public\Rules Library\Meridium\SAPInterf	Rule Library	●	
<a href="#">MacroSamples</a>	Public\Rules Library\Meridium\Samples\	Rule Library	●	
<a href="#">MaintenanceItem_CNF</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">MaintenanceItem_EM</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">MaintenancePlan_EM</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">MaximoInterfaces</a>	Public\Rules Library\Meridium\CMMSInte	Rule Library	●	
<a href="#">MaximoWorkHistoryDetail</a>	Public\Rules Library\Meridium\CMMSInte	Rule Library	●	
<a href="#">MI_InspectionTasksUpdate</a>	Public\Rules Library\Meridium\Strategy I	Rule Library	●	
<a href="#">Notification_CNF</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">ObjectListItem_CNF</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">TaskList_CNF</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">TaskList_EM</a>	Public\Rules Library\Meridium\Asset Str	Rule Library	●	
<a href="#">MI Recommendation</a>	Public\Rules Library\Meridium\Root Entit	Rule Library	●	
<a href="#">MI Security User</a>	Public\Rules Library\Meridium\Root Entit	Rule Library	●	

Back      Exit      Help

The grid contains the name of each item that was identified as different during the comparison process. You can determine the general difference using the **Baseline Changes** and **Custom Changes** columns. You can select any hyperlink in the left-most **Item Name** column to [display more detailed comparison results using WinMerge](#).

The comparison results grid contains the following columns:


- **Item Name:** The name of the item. You can select any hyperlink in the **Item Name** column to display more detailed comparison results using WinMerge.
- **Item Path:** If the item is a Catalog item, this column displays the Catalog folder path. If the item is *not* a Catalog item, this column repeats the item name.
- **Type:** The type of item.
- **Baseline Changes and Custom Changes:** Contain black circles indicating that changes

exist. In general, the **Baseline Changes** column contains a black circle if the baseline item has changed since the previous version. Likewise, the **Custom Changes** column contains a black circle if you have made custom changes to that item or if the item does not exist in your upgraded database.

The following table illustrates the possible combination of dots per item and explains how you can interpret those combinations.

Baseline Changes	Custom Changes	Explanation	Example
•		<p>The baseline item has changed between the two versions.</p> <p>-and-</p> <p>The item in your pre-upgrade database is the same as the item in the baseline database.</p>	<p>You are upgrading from V3.6.0.x to V4.0.0.</p> <p>In V3.5.0, the baseline family <i>Asset Strategy</i> was modified.</p> <p>You have not modified this family in your database.</p>

Baseline Changes	Custom Changes	Explanation	Example
	<ul style="list-style-type: none"> <li>•</li> </ul>	<p>The baseline item has <i>not</i> changed between the two versions.</p> <p>-and-</p> <p>There is difference between the baseline version of this item and the item in your upgraded database.</p>	<p>You are upgrading from V3.6.0.x to V4.0.0.</p> <p>The baseline query <i>Reading History</i> has <i>not</i> been modified since the last version release.</p> <p>You <i>have</i> modified this query prior to the upgrade.</p>
<ul style="list-style-type: none"> <li>•</li> </ul>	<ul style="list-style-type: none"> <li>•</li> </ul>	<p>The baseline item has changed between the two versions or is new to the later version.</p> <p>-and-</p> <p>There is a difference between the baseline version of this item and the item in your upgraded database, or this item does not exist in your upgraded database.</p>	<p>You are upgrading from V3.6.0.x to V4.0.0.</p> <p>In V3.5.0, the baseline query <i>Asset Query</i> was modified.</p> <p>You <i>have</i> modified this query prior to the upgrade.</p>

You can select any column heading to sort the results by the values in that column. You can also filter the results by selecting  in any column heading, and then selecting the value by which you

want to filter the results. For example, to see only queries in the results, you would select  in the **Type** column heading, and then select the **Query** check box, as shown in the following image.

The result would then contain only queries, as shown in the following image.

Item Name	Item Path	Type	Baseline Chan	Custom Chang
<a href="#">Alert Trend Alert Data</a>	Baseline\Meridium\Modules\AMS Asset Portal\Quer	Query	●	
<a href="#">Alert Trend Alert Data</a>	Public\Meridium\Modules\AMS Asset Portal\Quer	Query		●
<a href="#">Alert Trend Alert Data by Asset</a>	Baseline\Meridium\Modules\AMS Asset Portal\Quer	Query	●	
<a href="#">Alert Trend Alert Data by Asset</a>	Public\Meridium\Modules\AMS Asset Portal\Quer	Query		●
<a href="#">Alert Trend Data</a>	Baseline\Meridium\Modules\AMS Asset Portal\Quer	Query	●	
<a href="#">Alert Trend Data</a>	Public\Meridium\Modules\AMS Asset Portal\Quer	Query		●
<a href="#">Alert Trend Data by Asset</a>	Baseline\Meridium\Modules\AMS Asset Portal\Quer	Query	●	
<a href="#">Alert Trend Data by Asset</a>	Public\Meridium\Modules\AMS Asset Portal\Quer	Query		●
<a href="#">Alert Trend Data by Asset and Event Description</a>	Baseline\Meridium\Modules\AMS Asset Portal\Quer	Query	●	
<a href="#">Alert Trend Data by Asset and Event Description</a>	Public\Meridium\Modules\AMS Asset Portal\Quer	Query		●
<a href="#">All Inspection Records</a>	Baseline\Meridium\Modules\Inspection\Document	Query	●	

After you apply a filter, it will be displayed below the results, as outlined in red in the following image.

<a href="#">API RBI Analysis</a>	Public\Meridium\Modules\API RBI Connector\Quer	Query		
<a href="#">ASSET_GROUP_LOOKUP</a>	Public\Meridium\Modules\CMMS Integration Interf	Query		
<a href="#">ASSET_NUMBER_LOOKUP</a>	Public\Meridium\Modules\CMMS Integration Interf	Query		
<a href="#">Available Recommendations</a>	Public\Meridium\Modules\Recommendation Manag	Query		●
<a href="#">Equipment Taxonomy Query</a>	Baseline\Meridium\Modules\Core\Queries\Equipme	Query	●	

ItemType=Query

Back Exit Help

You can remove a filter by selecting  below the grid.





## Run the Comparison Against an Upgraded Database


These instructions assume that you want to compare your upgraded database to the baseline version.

**IMPORTANT:** The comparison process can take *an hour or longer*, depending upon the size of the databases being compared, available memory, and other factors. After you start the process, you should *not* close the progress window unless you want to stop the comparison process. You can continue working in other windows while the comparison is running.

### Steps

1. On the Meridium Enterprise APM Server, on the Apps interface, in the **Meridium APM Applications** section, select **Database Upgrade Manager**.

The **Meridium APM Database Comparison Tool** window appears, displaying the **Connection Information** screen.



The screenshot shows a window titled "Meridium APM Database Comparison Tool" with a "Connection Information" header. The form contains the following fields:

- Meridium Data Source: V400\_TEST\_QA\_20150527\_WED
- Meridium User Name: MIADMIN
- Meridium Password: [Redacted]
- Source Version: 4000000
- Path to Database Upgrade content (.zip file): C:\Meridium\DbUpp\MI\_DB\_Master\_4000000.ZIP


At the bottom of the window, there are four buttons: "Load Results", "Next", "Exit", and "Help".

2. In the **Meridium Data Source** box, enter the predefined data source that points to your upgraded Meridium Enterprise APM database.
3. Enter the name of a Meridium Secured User defined in your database.
4. Enter the password for that Secured User.
5. Enter the version of the upgraded source database. In V4.0.0.0.0, that should be 4000000.
6. In the **Path to Database Upgrade content** box, ensure that the correct path is path to the content is provided.

The path identifies the location of the baseline .ZIP file for the upgraded version. The default path is **C:\Meridium\DbUpg**, but this path could have been changed manually via the Meridium APM Server and Add-ons installer when Meridium Enterprise APM was installed or upgraded.

7. Select **Next**.

The **Comparison Details** screen appears.




The following information appears in the **Summary Information** section:

- **Comparison From:** The database versions that will be compared, using the format: <source version> to <target version>

...where:

- **<source version>** is the version of the source database that you are comparing against. The source version on the left should match **Source Version** box on the **Connection Information** screen.
  - **<target version>** is the version of the database content to which you are upgrading. The target version on the right should match the file that you specified in the **Path to Database Upgrade content** box on the **Connection Information** screen.
  - **Connection Information:** The credentials of your Windows user.
  - **File Path:** The path to the Database Upgrade content ZIP file.
  - **User:** The credentials of your Windows user.
  - **Last Comparison Time:** The date and time on which the database comparison for this database was last run. If the comparison has never been run for this database, the current date and time is displayed.
8. Select **Run Comparison**.

A progress bar appears, displaying the progress of the comparison process. Eventually, a command prompt window will appear, displaying the progress of the various comparison stages.



When the process is complete, the command prompt window closes automatically, and the [comparison details](#) appear in the **Upgrade Comparison** section on the **Comparison Details** screen of the Meridium APM Database Comparison Tool.

Meridium APM Database Comparison Tool

### Comparison Details

Summary Information

Comparison From: 4000000 to 4000000      User: MAYBERRY\dpasala      Last Comparison Time: 5/27/2015 2:29 PM

Connection Information: V400\_TEST\_QA\_20150527\_WED

File Path: C:\Meridium\DbUpg\MI\_DB\_Master\_4000000.ZIP

Run Comparison   Save Results   Export

Upgrade Comparison   3617 differences found.

Item Name	Item Path	Type	Custom Changes
01Yakima	Public\Meridium\Modules\Metrics Manager\01Yakima	Metrics View	●
02All Customers	Public\Meridium\Modules\Metrics Manager\02All Customer	Metrics View	●
03Media Type (All Media)	Public\Meridium\Modules\Metrics Manager\03Media Type (	Metrics View	●
04Yearly Income (All Yearly Income	Public\Meridium\Modules\Metrics Manager\04Yearly Incon	Metrics View	●
05Marital Status (All Marital Status)	Public\Meridium\Modules\Metrics Manager\05Marital Stat.	Metrics View	●
06City (CA)	Public\Meridium\Modules\Metrics Manager\06City (CA)	Metrics View	●
07Store Sqft	Public\Meridium\Modules\Metrics Manager\07Store Sqft	Metrics View	●
2005 Customer View	Public\Meridium\Modules\Metrics Manager\2005 Customer	Metrics View	●
2005 Customer View Only	Public\Meridium\Modules\Metrics Manager\2005 Customei	Metrics View	●
2008 Highlight Table	Public\Meridium\Modules\Metrics Manager\2008 Highlight	Metrics View	●
2008 Legend Displayed In as Meas.	Public\Meridium\Modules\Metrics Manager\2008 Legend C	Metrics View	●
2008 No Measure - Legend and Rov	Public\Meridium\Modules\Metrics Manager\2008 No Measi	Metrics View	●

Revert to Baseline   Back   Exit   Help

## About the Post-Upgrade Meridium Enterprise APM Database Comparison Tool Comparison Results Grid

When you perform a post-upgrade database comparison, the results appear in a grid on the **Comparison Details** screen.

The screenshot shows the 'Meridium APM Database Comparison Tool' window. The title bar includes standard window controls. The main content area is titled 'Comparison Details' and is divided into two main sections.

The top section, 'Summary Information', contains the following details:

- Comparison From: 4000000 to 4000000
- User: MAYBERRY\dpasala
- Last Comparison Time: 5/27/2015 2:29 PM
- Connection Information: V400\_TEST\_QA\_20150527\_WED
- File Path: C:\Meridium\DbUpg\MI\_DB\_Master\_4000000.ZIP

On the right side of this section are three buttons: 'Run Comparison', 'Save Results', and 'Export'.

The bottom section, 'Upgrade Comparison', shows '3617 differences found.' Below this is a table with the following columns: 'Item Name', 'Item Path', 'Type', and 'Custom Changes'. The first row is highlighted in yellow.

Item Name	Item Path	Type	Custom Changes
<a href="#">01Yakima</a>	Public\Meridium\Modules\Metrics Manager\01Yakima	Metrics View	●
<a href="#">02All Customers</a>	Public\Meridium\Modules\Metrics Manager\02All Customer	Metrics View	●
<a href="#">03Media Type (All Media)</a>	Public\Meridium\Modules\Metrics Manager\03Media Type (	Metrics View	●
<a href="#">04Yearly Income (All Yearly Income)</a>	Public\Meridium\Modules\Metrics Manager\04Yearly Incon	Metrics View	●
<a href="#">05Marital Status (All Marital Status)</a>	Public\Meridium\Modules\Metrics Manager\05Marital Statu	Metrics View	●
<a href="#">06City (CA)</a>	Public\Meridium\Modules\Metrics Manager\06City (CA)	Metrics View	●
<a href="#">07Store Sqft</a>	Public\Meridium\Modules\Metrics Manager\07Store Sqft	Metrics View	●
<a href="#">2005 Customer View</a>	Public\Meridium\Modules\Metrics Manager\2005 Customer	Metrics View	●
<a href="#">2005 Customer View Only</a>	Public\Meridium\Modules\Metrics Manager\2005 Customei	Metrics View	●
<a href="#">2008 Highlight Table</a>	Public\Meridium\Modules\Metrics Manager\2008 Highlight	Metrics View	●
<a href="#">2008 Legend Displayed In as Meas</a>	Public\Meridium\Modules\Metrics Manager\2008 Legend D	Metrics View	●
<a href="#">2008 No Measure - Legend and Rov</a>	Public\Meridium\Modules\Metrics Manager\2008 No Meas	Metrics View	●


At the bottom of the window are four buttons: 'Revert to Baseline', 'Back', 'Exit', and 'Help'.

The grid contains the name of each item that was identified as different during the comparison process. The comparison results grid contains the following columns:


- **Item Name:** The name of the item. You can select any hyperlink in the **Item Name** column to [display more detailed comparison results using WinMerge](#).
- **Item Path:** If the item is a Catalog item, this column displays the Catalog folder path. If the item is *not* a Catalog item, this column repeats the item name.
- **Type:** The type of item.
- **Custom Changes:** The cells in this column contain black circles indicating that custom changes have been made to the associated item

You can select any column heading to sort the results by the values in that column. You can also filter the results by selecting ▼ in any column heading, and then selecting the value by which you

want to filter the results. For example, to see only items that are in Entity Families in the results, you would select  in the **Type** column heading, and then select the **Are in These** and **Entity Family** check boxes, as shown in the following image.



The result would then contain only queries, as shown in the following image.



After you apply a filter, it will be displayed below the results, as outlined in red in the following image.

<a href="#">API RBI Analysis</a>	Public\Meridium\Modules\API RBI Connector\Quer	Query			
<a href="#">ASSET_GROUP_LOOKUP</a>	Public\Meridium\Modules\CMMS Integration Interf	Query			
<a href="#">ASSET_NUMBER_LOOKUP</a>	Public\Meridium\Modules\CMMS Integration Interf	Query			
<a href="#">Available Recommendations</a>	Public\Meridium\Modules\Recommendation Manag	Query			
<a href="#">Equipment Taxonomy Query</a>	Baseline\Meridium\Modules\Core\Queries\Equipme	Query			

Item Type=Query

Back Exit Help

You can remove a filter that you have applied by, below the grid, selecting  next to the filter.




# Revert Items to Baseline Using the Post-Upgrade Meridium Enterprise APM Database Comparison Tool

## Before You Begin


[Run the comparison against an upgraded database](#), or, using the post-upgrade Meridium Enterprise APM Database Comparison Tool, [reload previous comparison results](#).

## Steps


1. On the **Comparison Details** screen of the post-upgrade Meridium Enterprise APM Database Comparison Tool, in the list in the [Comparison Results grid](#), select the row containing the item that you want to revert to baseline, and then select **Revert to Baseline**.

 **Note:** You can [filter the results](#) in the list in the Comparison Results grid.

The **Revert To Baseline Actions** window appears, displaying the available revert to baseline actions for the selected item.




2. Select the check box for the revert to baseline action that you want to execute, and then select **OK**.

 **Note:** If you selected the **Datasheets** check box, before selecting **OK**, you will need to select a datasheet in the drop-down list box next to the **Datasheets** check box.

If you selected the **Associated Pages**, **Datasheets**, **Privileges**, or **Project** check box, the **Success** window appears, displaying a message indicating that the revert to baseline

action has been completed. The following image shows the **Success** window after the action of reverting Privileges to baseline has been completed.




- a. Select **OK**.

The **Success** and **Revert To Baseline Actions** windows close.

-OR-

If you selected the **Records and Link** check box, the **Revert to Baseline - Records and Links** window appears.



- a. In the list on the left side of the window, select the Family that contains the records and links that you want to revert to baseline.

The selected records and links appear in the list on the right side of the window.


- b. In the list on the right side of the window, select the check box next to each record that you want to revert to baseline.

- c. Select **Revert Selected**.

A message appears, indicating that the selected records and links have been reverted to baseline.

-OR-


If you selected the **State Management** check box, the **State Management Mapper** window appears.



The Family of the item that you selected in the Comparison Results grid is highlighted in the tree in the **Entity Families** section of the **State Management Mapper** window. In the **Custom** section, a list of the customized states for the Family appears. In the **Baseline** section, a list of the baseline states for the Family appears.

The customized states for the Family also appear in the **Custom Source** column in the grid in the **State Management Baseline Mapping** section.


- a. In the **State Management Baseline Mapping** section, in each cell in the **Select Target** column, select the baseline target for each customized state in the **Custom Source** column.

 **Note:** If you select **Auto Map**, the Meridium Enterprise APM Database Comparison Tool will automatically assign baseline targets where possible. If you select **Load Map**, a window appears on which you can select a previously saved map of baseline target assignments.

The selected targets appear in the cells in the **Baseline Target** column.


- b. Select **Revert Single Family** or **Revert Multiple**.

If you selected **Revert Single Family**, a message appears, asking if you want to save the current mapping and revert to it.



- i. Select **Yes**.

A confirmation message appears.




- ii. Select **OK**.

The selected states are converted.


-or-

If you selected **Revert Multiple**, the **Browse For Folder** window appears.




- i. Navigate to the folder containing all of the families whose states you want to convert, and then select **OK**.

A message appears, asking you to confirm that you want to continue.



- ii. Select **Yes**.

A confirmation message appears.



iii. Select **OK**.

The selected states are converted.

3. As needed, repeat steps 1 through 2 to revert additional items to baseline.


## Save the Results to a .ZIP File

After running the [pre-](#) or [post-](#)upgrade version of the Meridium Enterprise APM Database Comparison Tool, if you save comparison results to a .ZIP file using the following instructions, you can [reload those results at a later time](#). These instructions assume that you have already launched the Meridium Enterprise APM Database Comparison Tool.

### Steps

1. On the **Comparison Details** screen, select **Save Results**.

The **Select file to save result** window appears. The folder path is set by default to *C:\Meridium\DbUpg*.



2. If you want to save the results to a location other than *C:\Meridium\DbUpg*, navigate to the location where you want to save the results.
3. In **File name** box, enter a name for the .ZIP file.

4. Select **Save**.

The results are saved to the .ZIP file with the specified name in the specified location.




## Reload Previous Comparison Results

Using the [pre-](#) or [post-](#)upgrade version of the Meridium Enterprise APM Database Comparison Tool, if you have [saved previous comparison results to a .ZIP file](#), you can reload those results by following these instructions. These instructions assume that you have already launched the Meridium Enterprise APM Database Comparison Tool.

### Steps

1. On the **Connection Information** screen, select **Load Results**.

The **Select export of result** window appears. The folder path is set by default to *C:\Meridium\DbUpg*.



2. If the results that you want to reload are stored in a location other than *C:/Meridium/DbUpg*, navigate to the location containing the exported results.
3. Select the .ZIP file containing the results that you want to reload, and then select **Open**.

A progress bar appears, indicating the progress of the loading process.

Database Server Connection Information

Meridium Datasource	dvt_all_345_sql2
Meridium User Name	MIADMIN
Meridium Password	.....
Source Version	3450000
Path to Database Upgrade	C:\Meridium\DbUpg\MI_DB_Master_3500000.zip

Loading results...

.....

When the process is complete, the comparison results appear on the **Comparison Details** screen.

**Meridium APM Database Comparison Tool**

### Comparison Details

Summary Information

Comparison From:	User:	Last Comparison Time:
3450000 to 3500000	MAYBERRY\aduncan	11/20/2012 11:54 PM

2053 differences found.  
Upgrade Comparison

Item Name	Item Path	Type	Baseline Changes	Custom Changes
<a href="#">01Yakima</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">02All Customers</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">03Media Type (All Media)</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">04Yearly Income (All Yearly Income)</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">05Marital Status (All Marital Status)</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">06City (CA)</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">07Store Sqft</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2005 Customer View</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2005 Customer View Only</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2008 Highlight Table</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2008 Legend Displayed In as Meas</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2008 No Measure - Legend and Rov</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">2008 One Measure - On LegendCol</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		
<a href="#">Action Test Case</a>	Public\Meridium\Modules\Metrics Manz	Metrics View		

## Export Comparison Results to an Excel File


If you have run a database comparison using the [pre-](#) or [post-](#)upgrade version of the Meridium Enterprise APM Database Comparison Tool and want to make the result available to users who do not have access to the Meridium Enterprise APM Server, you can save the results to a Microsoft Excel file. The Excel file will contain the data that appears in the grid on the **Comparison Details** screen of the Meridium Enterprise APM Database Comparison Tool. It will not present a detailed side-by-side comparison.

These instructions assume that you have already launched the Meridium Enterprise APM Database Comparison Tool.

### Steps

1. On the **Comparison Details** screen, select **Export**.

The **Select file to save result** window appears. By default, the folder path is set to *C:\Meridium\DbUpg*.



2. If you want to export the results to a location other than *C:/Meridium/DbUpg*, navigate to the location to which you want to export the results.
3. In **File name** box, enter a name for the Excel file, and then select **Save**.

The results are saved to the Excel file with the specified name in the specified location, and a message appears, indicating that the file was saved successfully. The content of the Excel file will look similar to this:

	A	B	C	D	E
1	ModifiedID	ItemPath	ItemType	HasBaselineChanges	HasCustomChanges
2	MaintenanceItem_CNF	Public\Rules Library\Meridium\Asset Strategy Manag Rule Library		True	False
3	MaintenanceItem_EM	Public\Rules Library\Meridium\Asset Strategy Manag Rule Library		True	False
4	MaintenancePlan_EM	Public\Rules Library\Meridium\Asset Strategy Manag Rule Library		True	False
5	MI_InspectionTasksUpdate	Public\Rules Library\Meridium\Strategy Rules\MI_Ins Rule Library		True	False
6	Notification_CNF	Public\Rules Library\Meridium\Asset Strategy Manag Rule Library		True	False
7	ObjectListItem_CNF	Public\Rules Library\Meridium\Asset Strategy Manag Rule Library		True	False
8	TaskList_CNF	Public\Rules Library\Meridium\Asset Strategy Manag Rule Library		True	False

The file contains one worksheet, **ExportToExcel**, with the following columns of information:

- **ModifiedID:** Displays the value that appeared in the **Item Name** column in the Meridium Enterprise APM Database Comparison Tool.
- **ItemPath:** Displays the value that appeared in the **Item Path** column in the Meridium Enterprise APM Database Comparison Tool.
- **ItemType:** Displays the value that appeared in the **Type** column in the Meridium Enterprise APM Database Comparison Tool.
- **HasBaselineChanges:** Displays a value indicating whether or not a black circle appeared in the **Baseline Changes** column in the Meridium Enterprise APM Database Comparison Tool. If no black circle appeared, the value is *False*. If a black circle appeared, the value is *True*.
- **HasCustomChanges:** Displays a value indicating whether or not a black circle appeared in the **Custom Changes** column in the Meridium Enterprise APM Database Comparison Tool. If no black circle appeared, the value is *False*. If a black circle appeared, the value is *True*.


## View Detailed Differences in WinMerge

In the [comparison results grid](#), for any item in the grid, you can access a detailed comparison of the differences between that item in your customized database and the baseline database for the target version. The detailed differences will be displayed in WinMerge. Information on using WinMerge exceeds the scope of the Meridium Enterprise APM documentation, but can be found in the WinMerge Help system.

To view detailed differences for an item:

1. In the comparison results grid, select the hyperlinked item name of the item whose differences you want to view.

The **Difference Details** screen appears.




2. If differences are referenced in the upper section, select **Baseline Changes**.

-or-


If differences are referenced in the lower section, select **Custom Changes**.

The sections shown in the following images can be accessed via the appropriate tabs:

- In this section, the XML code for the item exists in one file per version (e.g., an entity family).




- In this section, the item exists in multiple files per version (e.g., a query), which you can use to select the two specific files that you want to compare.




3. In the section displaying the detailed differences, scroll through the differences using WinMerge tools.
4. In the section that allows you to select two specific files that you want to compare, select the two files, right click, and then select **Compare**.

## Deploying Meridium Enterprise APM



WinMerge appears, displaying the results of the comparison.





## Manage the Meridium Enterprise APM System Administration Tool

---

This topic provides a list of all procedures related to managing the Meridium Enterprise APM System Administration Tool, as well as links to the related concept and reference topics.

## About the Meridium Enterprise APM System Administration Tool

---

The Meridium Enterprise APM System Administration tool is an interface that lets you configure settings that exist in configuration files that are used by Meridium Enterprise APM components.

You can interact with the Meridium Enterprise APM System Administration tool via the **APM System Administration** window, which contains the following sections:

- **Configuration:** A menu that contains only the configuration items that exist for the components that are installed on the machine on which you are working. When you select a configuration item in this menu, the contents of the configuration file appear in the workspace.
- **Workspace:** Displays settings that are available in the file that is selected in the **Configuration** menu. The settings that are displayed for each file do not represent a comprehensive view of the file. Instead, only the settings that require modifications or entries are displayed. Above the file settings, the file path to the underlying configuration file is displayed. This provides the location and the name of the file.

Below the file settings, the following options appear:

- **Open File:** Opens the underlying configuration file in the appropriate application (e.g., Notepad).
- **Save:** Saves your changes to the underlying configuration file.
- **Exit:** Closes the **APM System Administration** window. If you select this button and have unsaved changes, a message will appear, asking if you want to save those changes.
- **Help:** Displays the Meridium APM Help system.

The following image shows an example of what the Meridium APM System Administration tool looks like. Keep in mind that the links on the **Configuration** menu will vary depending upon the components that are installed on the machine [where you access the tool](#).

The screenshot shows the 'APM System Administration' web application. The title bar reads 'APM System Administration'. The main header also says 'APM System Administration'. On the left, there is a 'Menu' section with a 'Configuration' sub-section containing two links: 'APM Web Framework App Server' and 'APM Web Framework web.config'. The main content area is titled 'Web.config Changes' and contains several configuration fields: 'File Location' (C:\Program Files\Meridium\WebComponents\Web.config), 'Application Server' (empty), 'Default Data Source' (empty), 'Guest User Name' (empty), 'Guest Password' (empty), 'Redirect Browsers To UNC Files' (true), 'User Name' (empty), and 'Password' (empty). At the bottom right, there are four buttons: 'Open File', 'Save', 'Exit', and 'Help'.


## Access the Meridium Enterprise APM System Administration Tool

The Meridium Enterprise APM System Administration Tool is installed by the Meridium Enterprise APM Server and Add-ons installer when you install any Meridium Enterprise APM Server or add-on component. You can [use the Meridium Enterprise APM System Administration Tool to modify settings in configuration files that support Meridium Enterprise APM components.](#)

You can access the Meridium Enterprise APM System Administration Tool in the following ways:

- *Automatically from the Meridium APM Server and Add-ons installer.* On the last screen of the installer, a check box appears that allows you specify whether or not you want to launch the Meridium Enterprise APM System Administration Tool when the installer closes. If the check box is selected, when the installer closes, the Meridium Enterprise APM System Administration Tool will open automatically.
- *Manually* by selecting the icon on the Start menu on a machine where the Meridium APM Server or add-ons component is installed.

The following image shows what the Meridium Enterprise APM System Administration Tool looks like when you access it. Keep in mind that the items on the **Configuration** menu will vary depending upon the components that are installed on the machine where you access the tool.





## Notifications

---

This topic provides a list of the all the procedures related to managing notifications, as well as links to the related concept and reference topics.


## Configure Notifications

---

In order for the service to work correctly in Meridium Enterprise APM, you must configure the Notification Service by modifying the file **Meridium.Service.Notification.exe.config** on all Meridium Enterprise APM Servers.

### Steps

1. On the Meridium Enterprise APM Server, navigate to the folder where the Notification Service files are installed. If you installed the software in the default location, you can locate these files in the folder **C:\Program Files\Meridium\Services**.
2. Open the file **Meridium.Service.Notification.exe.config** in an application that you can use to modify XML script (e.g., Notepad).
3. Depending on the type of server to which you want to relay the messages, modify the script within the **<notification>** and the **<system.serviceModel>** tags.

 **Note:** The complexity of a Notification Service lies in its configuration. Notification Servers can relay messages to two types of servers - **apm server** (web server) and **external server**. The entire configuration of the external service needs to be represented by an **end point**, and the **end point name** needs to have a wcf end point configuration.

4. Save and close the file.
5. Start or restart the Notification Service.
  - Configure the Meridium Notification Service for PDI
  - Configure the Meridium Notification Service for AHM

## About Notifications

---

A notification is a message exchange pattern in which a requestor sends a request message to a replier system. The replier system receives and processes the request. It is an effective and powerful messaging pattern configured to relay messages.

Notifications provides an automated means of triggering notices about subscribed services and objects across different messaging channels. Messages are triggered when the application services and objects to which a user has subscribed change.

Whenever the Meridium user logs in to the application and makes any change to the metadata, the change triggers the API to send a message or a notification to the notification service. The notification service then looks up the targets who need to be notified of this change and sends the notification in the protocol of their choice. The primary idea of a notification is to inform other services that there is a change. It does not have any control over what services do with that information. Notification service also knows the contents of the message relayed.

### Steps

1. When a Meridium Enterprise APMServer is configured and made available to users, in the Web.config file, the URL `< add key="notificationServiceUrl" value="net.tcp://{0}/meridium/Service/Notification" />` tells the website where its notification service is.
2. Meridium Enterprise APM comes up or opens, in the Web.config file, it replaces {0} parameter in the URL above by the server name of the local host. notification service has to be read in on physical server of every web application.
3. The Meridium Enterprise APM installation installs the service **Meridium Notification service**.

Notification service is then configured to replicate and relay any messages.

### For Example:

Lets assume that in Meridium Enterprise APM, we have configured a notification service that sends out a notification whenever a change is made to any entity. If a change is made to the Security Groups Information and the changes are saved, then the web service sends a message to the notification service that an entity is updated. Then, the notification service relays that message to any other servers that are configured to receive the message.



## Contact Meridium, Inc.

---

### **Meridium, Inc. Offices and Regional Contacts**

For mailing addresses, phone, fax, and contact form: <https://www.meridium.com/about/locations>

### **Global Support Services**

For technical product support: <https://www.meridium.com/support>